

2) 予察灯並びにトラップによる誘殺成績

A ウンカ類、コブノメイガ

調査時期			セジロウンカ					トビイロウンカ					ゴ ンバ	
年	月	番	諫 早	島 原	佐世保	岐 宿	諫 早	島 原	佐世保	岐 宿	諫 早			
			白熱灯	青 色	白熱灯	白熱灯	白熱灯	白熱灯	青 色	白熱灯	白熱灯	白熱灯	蛍光灯	
94	4	1	0	0	—	—	—	0	0	—	—	—	—	
		2	0	0	—	—	—	0	0	—	—	—		
		3	0	0	—	—	—	0	0	—	—	—		
		4	0	0	—	—	—	0	0	—	—	—		
		5	0	0	—	—	—	0	0	—	—	—		
		6	0	0	—	—	—	0	0	—	—	—		
	5	1	0	0	—	—	—	0	0	—	—	—	—	
		2	0	0	—	—	—	0	0	—	—	—	—	
		3	0	0	—	—	—	0	0	—	—	—	—	
		4	0	0	—	—	—	0	0	—	—	—	0	
		5	0	0	—	—	—	0	0	—	—	—	0	
		6	0	0	—	—	—	0	0	—	—	—	0	
	6	1	0	0	0	0	0	0	0	1	0	0	0	
		2	0	0	0	0	0	0	0	2	0	0	0	
		3	3	102	308	0	1	0	2	1	0	0	0	
		4	5	14	155	1	0	0	0	1	0	0	0	
		5	52	205	1,833	24	31	0	0	1	0	0	0	
		6	39	187	1,623	4	8	0	1	88	1	2	2	
	7	1	9	15	324	1	0	0	0	50	0	0	0	
		2	2	0	79	0	0	0	0	7	0	0	0	
		3	0	0	4	1	0	0	0	3	0	0	0	
		4	2	2	13	0	1	0	0	0	0	0	0	
		5	17	19	7	2	0	0	0	0	0	0	65	
		6	17	44	17	12	0	1	0	0	0	0	51	
	8	1	8	26	22	0	5	0	0	0	0	0	3	
		2	13	40	21	0	0	2	0	0	0	0	0	
		3	3	31	10	9	1	0	0	1	0	0	2	
		4	2	74	5	2	14	1	0	0	0	1	64	
		5	6	110	1	2	1	1	0	0	0	14	17	
		6	57	219	64	5	0	2	0	16	20	2	25	
	9	1	0	35	6	1	0	0	3	0	2	1	9	
		2	29	27	1	88	194	0	0	4	56	199	5	
		3	5	56	0	4	0	0	0	0	2	19	3	
		4	3	9	3	104	10	0	0	6	32	27	1	
		5	0	11	1	0	5	0	0	0	1	8	0	
		6	0	2	0	0	0	0	0	0	2	0	1	
	10	1	0	17	—	—	—	0	1	—	—	—	0	
		2	0	6	—	—	—	0	0	—	—	—	0	
		3	0	2	—	—	—	0	0	—	—	—	0	
		4	0	1	—	—	—	0	0	—	—	—	0	
		5	0	1	—	—	—	0	0	—	—	—	—	
		6	0	0	—	—	—	0	0	—	—	—	—	
合 計			272	1,255	4,497	260	361	7	7	181	116	273	248	

B ハスモンヨウトウ、チャノコカクモンハマキ、ナシヒメシンクイ

調査時期			ハスモンヨトウ		チャノカクモンハマキ		ナシヒメシンクイ
年	月	半旬	諫 早(フェロ モトラップ)		東彼杵 (茶試)		諫 早
			1994	平 年	1994	平 年	1994
94	4	1	4	1.7	0	0	10
		2	6	3.2	1	1	14
		3	1	3.2	0	0	3
		4	16	5.2	1	0	7
		5	37	11.2	0	8	4
		6	16	16.2	1	17	1
	5	1	21	25.3	19	36	1
		2	20	21.7	1	22	0
		3	17	26.0	0	25	0
		4	10	31.8	4	18	0
		5	12	31.0	0	12	0
		6	45	79.0	2	8	14
	6	1	50	100.2	0	1	30
		2	48	105.7	2	1	6
		3	163	136.8	1	2	4
		4	224	201.2	5	10	0
		5	92	141.2	6	97	0
		6	110	183.8	11	181	24
	7	1	94	237.5	2	177	11
		2	179	159.3	4	124	42
		3	86	203.7	0	10	19
		4	108	186.7	0	1	25
		5	93	137.5	0	3	2
		6	85	172.2	2	84	11
	8	1	101	216.7	2	503	5
		2	238	203.0	0	658	10
		3	335	260.8	1	289	7
		4	265	284.5	1	25	7
		5	204	303.5	1	7	2
		6	437	433.3	3	4	3
	9	1	419	411.7	0	20	2
		2	665	484.3	2	168	4
		3	811	568.8	0	163	0
		4	282	610.0	1	188	3
		5	311	605.7	0	45	1
		6	244	546.5	0	12	1
	10	1	457	463.8	0	24	2
		2	458	626.5	1	2	0
		3	390	531.8	1	0.9	0
		4	611	533.7	1	0.4	0
		5	287	405.5	0	0.3	—
		6	576	526.0	2	0.4	—
合 計			8,440	9,416.5	78	2,948.0	275

C カメモシ類

年	月	半 旬	クモヘリカメモシ				イチモンジカメモシ				ミナミアオカメモシ				アオクサカメモシ			
			諫 早	島 原	佐世保	岐 宿	諫 早	島 原	佐世保	岐 宿	諫 早	島 原	佐世保	岐 宿	諫 早	島 原	佐世保	岐 宿
			白熱	青色	白熱灯	白熱灯	白熱灯	白熱	青色	白熱灯	白熱灯	白熱灯	白熱	青色	白熱灯	白熱灯	白熱灯	白熱灯
94	6	1																
		2																
		3																
		4																
		5																
		6																
	7	1																
		2						2					1					
		3						1										
		4		1				1										
		5		1		1												
		6		2	42	2	4	1	1									
	8	1		4	6	8	6											
		2		3	3	10	1											
		3		4	2	1	1		1									
		4	1	13	4				1									
		5		4	18	2			4		1							
		6		4	22	3			1									
	9	1		1	1	1			1									
		2		1	3				1									
		3		1	2					1								
		4		1	1													
		5										1						
		6		1														
	10	1			-	-	-			-	-	-				-	-	-
		2			-	-	-			-	-	-				-	-	-
		3			-	-	-			-	-	-				-	-	-
		4			-	-	-			-	-	-				-	-	-
		5			-	-	-			-	-	-				-	-	-
		6			-	-	-			-	-	-	b			-	-	-

註1：空欄は0値、-は無調査


年	月	半 旬	チャバネアオカメムシ					ツヤアオカメムシ					ホソハリカメムシ				
			諫 早		島 原	佐世保	岐 宿	諫 早		島 原	佐世保	岐 宿	諫 早		島 原	佐世保	岐 宿
			白熱	青色	白熱灯	白熱灯	白熱灯	白熱	青色	白熱灯	白熱灯	白熱灯	白熱	青色	白熱灯	白熱灯	白熱灯
94	6	1		1					5								
		2		4			1		8		2						
		3		10			1		24		2						
		4		7			2	3	8			1					
		5		35		1	7		8								
		6		57		2	11		9			2					
	7	1		191	2	4	24		33		6	24			1		
		2		65		3			11	3	2						
		3		80		3			12		9	1					
		4		63					11		3						
		5		115		4			38		1						
		6		70		15	4		43		11	1					
	8	1		23		12	6		9	1	10	1					
		2		14		12		1	4	2	1	1					
		3		17	1	2	1		7	2	18	1					
		4		14		5			8		1						
		5		12		6	1		7	3	2						
		6		16		6			14		5		1				
	9	1	1	4	1			1	12		2						
		2		3		5	2		5	1	3						
		3		2		1		1	2	1							
		4		1		2			2	1							
		5		1					3								
		6		2					3								
	10	1		2	-	-	-		8	-	-	-			-	-	-
		2		2	-	-	-		1	-	-	-			-	-	-
		3		1	-	-	-		3	-	-	-			-	-	-
		4		1	-	-	-			-	-	-			-	-	-
		5		1	-	-	-		3	-	-	-			-	-	-
		6			-	-	-		1	-	-	-			-	-	-

註1：空白は0値、-は無調査


註2：

D カンキツのチャノキイロアザミウマ (黄色粘着トラップ)

1994年			1993年			1992年		
調査日	県予察圃	農経大園	調査日	県予察圃	農経大園	調査日	県予察圃	農経大園
4. 4	(設置)	(設置)				4. 7	(設置)	(設置)
11	12	9				14	4	1
18	3	6				21	1	2
25	3	3				28	0	1
5. 2	3	2	5. 6	(設置)	(設置)	5. 6	0	0
9	2	0	13	1	3	12	4	0
16	10	-	20	19	2	19	9	3
23	17	11	27	-	1	26	18	2
30	33	30						
6. 6	18	31	6.10	21	1	6. 4	9	4
13	37	94	17	116	3	11	23	16
20	48	89	25	58	26	19	16	20
30	21	11	30	32	16			
7. 7	54	110	7.15	8	10	7. 2	33	24
18	16	3	22	33	10	9	27	9
25	40	7	29	66	2	16	31	12
						23	78	31
						31	83	84
8. 1	28	15	8. 5	11	4	8. 6	121	57
8	19	24	12	51	7	14	123	27
16	92	53	19	14	6	21	57	27
22	78	33	26	14	12	28	42	35
29	43	23						
9. 5	15	15	9. 2	30	5	9. 4	60	-
12	18	31	10	85	19	11	28	-
19	19	17	16	82	18	18	27	-
			22	18	147	25	30	-
10. 7		9	10. 1	18	250			



黄色粘着トラップによるチャノキロアザミウマの誘殺成績（県予察圃）



黄色粘着トラップによるチャノキロアザミウマの誘殺成績（農経大圃）