

(3) 予察灯並びにトラップによる誘殺成績

a ウンカ類(セジロウンカ、トビロウンカ、ヒメトビウンカ)、コブノメイガ

(2013年調査)

月	半 旬	セジロウンカ					トビロウンカ					ヒメトビウンカ					コブノメイガ	
		諫早		佐世保	島原	岐宿	諫早		佐世保	島原	岐宿	諫早		佐世保	島原	岐宿	予察圃(諫早)	
		白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	白熱	ネット	白熱	白熱	白熱	早期	普通期
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-		
	3	0	-	-	-	-	0	-	-	-	-	0	-	-	-	-		
	4	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-		
	5	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-		
	6	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-		
5	1	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-	-	
	2	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-	-	
	3	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-	-	
	4	0	0	-	-	-	0	0	-	-	-	0	0	-	-	-	-	
	5	0	0	-	-	-	0	0	-	-	-	0	1	-	-	-	-	
	6	2	0	-	-	-	0	0	-	-	-	0	0	-	-	-	6	
6	1	4	0	-	0	0	0	0	-	0	0	0	12	-	0	0	8	-
	2	0	0	-	0	0	0	0	-	0	0	0	0	-	0	0	12	-
	3	1	0	0	0	1	0	0	0	0	0	0	0	0	0	0	0	-
	4	11	2	0	0	0	0	0	0	0	0	2	0	0	0	0	4	-
	5	6	13	0	0	2	2	2	0	0	0	1	0	0	0	0	22	-
	6	8	10	0	0	24	10	1	0	0	4	0	3	0	0	0	27	-
7	1	7	1	0	0	0	2	0	0	0	0	1	2	0	0	0	5	-
	2	2	1	0	0	0	2	1	0	0	0	0	0	0	0	0	21	-
	3	0	0	0	0	0	0	0	0	0	0	0	0	0	0	0	4	-
	4	1	1	0	0	0	1	0	0	0	0	2	1	0	0	0	0	-
	5	165	0	0	0	6	1	0	0	0	0	0	0	0	0	0	-	1
	6	232	5	2	0	7	5	0	0	0	0	1	0	0	0	0	-	6
8	1	54	0	6	0	2	30	0	0	1	1	8	0	1	0	0	-	22
	2	22	0	0	0	0	2	0	0	0	0	0	0	0	0	0	-	19
	3	21	0	0	0	2	2	0	0	0	0	1	0	0	0	0	-	36
	4	3	0	0	0	2	3	0	0	0	49	1	1	0	0	0	-	23
	5	68	0	4	0	18	319	0	2	0	549	5	0	0	0	13	-	34
	6	54	2	0	0	9	179	1	0	12	13	5	0	0	0	0	-	62
9	1	20	0	0	2	4	38	0	1	5	17	5	0	0	2	0	-	31
	2	21	0	3	2	1	38	0	2	5	21	0	0	0	1	0	-	30
	3	2	0	0	0	0	4	0	0	0	0	2	0	0	0	0	-	11
	4	4	-	-	0	1	4	-	-	0	0	1	-	-	0	0	-	-
	5	3	-	-	0	0	30	-	-	0	17	3	-	-	0	0	-	-
	6	0	-	-	0	0	114	-	-	9	13	2	-	-	0	0	-	-
10	1	0	-	-	-	-	187	-	-	-	-	3	-	-	-	-	-	-
	2	11	-	-	-	-	1,358	-	-	-	-	2	-	-	-	-	-	-
	3	4	-	-	-	-	42	-	-	-	-	0	-	-	-	-	-	-
	4	2	-	-	-	-	73	-	-	-	-	0	-	-	-	-	-	-
	5	0	-	-	-	-	11	-	-	-	-	0	-	-	-	-	-	-
	6	0	-	-	-	-	12	-	-	-	-	0	-	-	-	-	-	-
合計		728	35	15	4	79	2469	5	5	32	684	45	20	1	3	13	109.0	275.0

b ハスモンヨトウ、オオタバコガ、ナシヒメシンクイ、チャノコカクモンハマキ、チャノホソガ、チャノキヨアザミウマ (2013年調査)

月	半旬	ハスモンヨトウ		オオタバコガ		ナシヒメシンクイ		チャノコカクモンハマキ		チャノホソガ		チャノキヨアザミウマ	
		諫早 (フィロントラップ)		諫早 (フィロントラップ)		諫早 (フィロントラップ)		東彼杵 (フィロントラップ)		東彼杵 (フィロントラップ)		諫早 (黄色粘着トラップ)	
		2013	平年	2013	平年	2013	平年	2013	平年	2013	平年	2013	平年
4	1	0	0.0	0	1.1	14	9.8	0	5	0	149	0	5.0
	2	0	0.0	1	0.6	3	18.3	23	15	1116	366	1	5.7
	3	6	0.0	2	0.9	4	11.9	9	37	36	566	0	2.6
	4	8	0.0	0	0.9	2	4.9	80	50	157	572	0	2.1
	5	2	0.0	1	0.9	2	1.0	72	19	151	276	0	1.6
	6	6	0.0	1	1.5	1	1.3	49	67	21	107	0	1.5
5	1	0	15.3	2	2.3	1	3.1	548	191	46	29	0	3.7
	2	1	33.5	1	5.9	1	1.9	599	136	33	11	1	4.8
	3	3	21.0	1	7.1	2	1.8	392	88	5	5	2	9.4
	4	5	24.4	2	3.4	4	2.0	166	38	7	5	1	11.4
	5	0	26.5	0	5.3	10	3.9	45	80	329	2	8	6.8
	6	92	41.1	1	2.0	25	14.1	12	12	1245	385	12	11.5
6	1	91	19.3	0	2.0	15	14.0	0	3	2227	1754	13	25.8
	2	38	19.1	1	2.5	9	19.3	0	2	1643	1907	19	38.7
	3	17	32.8	0	2.8	15	11.2	24	4	1028	1399	37	57.3
	4	43	26.9	0	4.6	9	9.4	83	24	399	656	27	54.9
	5	79	53.4	7	6.0	16	7.6	79	171	364	183	34	65.6
	6	52	48.0	0	7.5	15	16.6	155	214	133	79	42	51.8
7	1	126	88.1	14	16.5	23	22.3	96	220	30	16	16	52.3
	2	164	81.0	3	9.3	43	24.0	135	107	1130	238	12	52.5
	3	90	57.4	0	3.8	36	18.7	23	68	629	939	23	30.9
	4	76	62.5	0	1.3	26	20.0	8	3	662	700	20	39.5
	5	41	55.5	0	0.1	27	17.5	34	4	116	602	6	43.5
	6	68	81.6	2	0.4	29	15.0	36	102	26	439	47	36.2
8	1	114	66.0	0	3.8	25	18.6	71	205	709	177	38	63.5
	2	85	58.5	0	0.9	7	20.0	44	134	1771	1102	18	57.3
	3	72	49.1	0	2.3	12	17.4	31	130	2913	1635	10	68.6
	4	70	64.5	0	1.5	23	15.4	26	72	2410	1466	24	44.7
	5	189	67.0	0	1.1	11	14.9	21	8	586	963	23	51.7
	6	251	82.9	7	0.1	14	15.6	6	7	156	216	3	37.3
9	1	66	75.6	0	6.5	5	17.3	8	8	50	196	2	39.1
	2	45	88.3	1	9.6	22	19.9	32	85	1174	875	4	47.5
	3	239	86.8	1	6.0	11	14.5	110	274	1921	1346	4	29.3
	4	299	115.1	0	10.8	15	11.6	185	350	1634	1173	5	26.0
	5	104	130.6	2	14.1	11	14.8	-	-	-	-	12	16.8
	6	166	120.9	3	9.6	18	9.9	-	-	-	-	6	24.8
10	1	208	141.0	16	19.4	12	9.1	-	-	-	-	-	-
	2	62	116.9	6	11.4	8	6.0	-	-	-	-	-	-
	3	174	139.4	59	32.4	4	4.9	-	-	-	-	-	-
	4	20	94.3	17	18.1	1	1.6	-	-	-	-	-	-
	5	105	106.4	16	22.1	2	2.2	-	-	-	-	-	-
	6	283	133.8	27	14.9	1	0.6	-	-	-	-	-	-
11	1	397	101.9	50	8.5	-	-	-	-	-	-	-	-
	2	680	144.6	52	21.0	-	-	-	-	-	-	-	-
	3	105	104.9	14	16.1	-	-	-	-	-	-	-	-
	4	152	53.6	9	7.6	-	-	-	-	-	-	-	-
	5	54	21.1	34	2.8	-	-	-	-	-	-	-	-
	6	10	29.0	0	2.1	-	-	-	-	-	-	-	-
合計		4,958	2,979	353	331	534	484	3,202	2,934	24,857	20,536	470	1,122

* チャノコカクモンハマキ、チャノホソガは農林技術開発センター茶業研究室の調査

平年値はハスモンヨトウは2003～2012年(最大・小除く)、オオタバコガは2003～2012年(最大・小除く)、
ナシヒメシンクイ・チャノキヨアザミウマは2003～2012年、チャノコカクモンハマキ・チャノホソガは2008～2012年の平均

c カメムシ類

(2013年調査)

月	半旬	クモヘリカメムシ				ホソハリカメムシ				シラホシカメムシ				アカスジカスミカメ			
		諫早	北有馬	佐世保	岐宿	諫早	北有馬	佐世保	岐宿	諫早	北有馬	佐世保	岐宿	諫早	北有馬	佐世保	岐宿
		白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱	白熱
4	1	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	2	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	3	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	4	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	5	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	6	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
5	1	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	2	0	-	-	-	0	-	-	-	0	-	-	-	1	-	-	-
	3	0	-	-	-	0	-	-	-	0	-	-	-	5	-	-	-
	4	0	-	-	-	0	-	-	-	0	-	-	-	1	-	-	-
	5	0	-	-	-	0	-	-	-	0	-	-	-	7	-	-	-
	6	0	-	-	-	0	-	-	-	0	-	-	-	3	-	-	-
6	1	0	0	-	0	0	0	-	0	0	0	-	0	7	0	-	0
	2	0	0	-	0	0	0	-	0	0	0	-	0	21	3	-	2
	3	0	0	0	0	0	0	0	0	0	0	0	0	84	10	0	10
	4	0	0	0	0	0	0	0	0	0	0	0	0	79	3	0	10
	5	0	0	0	0	0	0	0	0	0	0	0	0	28	1	0	14
	6	1	0	0	0	0	0	0	0	0	0	0	0	12	1	0	84
7	1	0	0	0	0	0	0	0	0	0	0	0	0	7	2	0	44
	2	0	1	0	0	0	0	0	0	0	0	0	0	19	19	0	229
	3	0	2	0	0	0	0	0	0	0	0	0	0	13	43	0	70
	4	0	0	0	0	0	0	0	0	0	0	0	0	15	25	0	241
	5	0	0	0	0	0	0	0	0	0	0	0	0	7	27	0	76
	6	1	0	0	1	0	1	0	0	0	0	0	0	11	17	0	48
8	1	1	0	3	13	0	0	0	1	0	0	0	0	20	15	1	57
	2	0	0	0	6	0	0	0	4	0	0	0	0	20	55	0	108
	3	0	2	0	5	0	0	0	3	0	0	0	0	60	46	0	70
	4	2	1	0	0	0	0	0	4	0	0	0	4	23	49	0	39
	5	0	0	0	2	0	0	0	0	0	0	0	0	33	7	0	45
	6	3	0	0	2	0	0	0	0	0	1	0	0	2	0	0	14
9	1	0	0	0	0	0	0	0	0	0	0	0	0	5	3	0	1
	2	0	0	0	2	0	0	0	0	0	0	0	0	1	0	0	12
	3	0	0	-	0	0	0	-	0	0	0	-	0	16	0	-	46
	4	0	0	-	0	0	0	-	0	0	0	-	0	3	0	-	21
	5	0	0	-	0	0	0	-	0	0	0	-	0	5	0	-	158
	6	1	0	-	1	0	0	-	0	0	0	-	0	2	0	-	21
10	1	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	2	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	3	0	-	-	-	0	-	-	-	0	-	-	-	0	-	-	-
	4	0	-	-	-	0	-	-	-	0	-	-	-	2	-	-	-
	5	0	-	-	-	0	-	-	-	0	-	-	-	1	-	-	-
	6	0	-	-	-	0	-	-	-	0	-	-	-	1	-	-	-
合計		9	6	3	32	0	1	0	12	0	1	0	4	514	326	1	1420

c カメモシ類

(2013年調査)

月	半旬	チャバネアオカメモシ						ツヤアオカメモシ						マルホシヒタヤドリハエ	
		諫早			北有馬	佐世保	岐宿	諫早			北有馬	佐世保	岐宿	諫早	
		白熱	青色	黄色 コガネコル	白熱	白熱	白熱	白熱	青色	黄色 コガネコル	白熱	白熱	白熱	黄色 コガネコル	
4	1	-	-	1	-	-	-	-	-	0	-	-	-	-	0
	2	-	-	0	-	-	-	-	-	0	-	-	-	-	0
	3	0	-	0	-	-	-	1	-	0	-	-	-	-	5
	4	0	-	2	-	-	-	0	-	0	-	-	-	-	10
	5	0	-	0	-	-	-	0	-	0	-	-	-	-	4
	6	0	-	0	-	-	-	0	-	0	-	-	-	-	2
5	1	0	-	0	-	-	-	0	-	0	-	-	-	-	6
	2	0	-	7	-	-	-	0	-	0	-	-	-	-	12
	3	0	-	33	-	-	-	0	-	1	-	-	-	-	20
	4	0	-	2	-	-	-	0	-	1	-	-	-	-	48
	5	0	-	67	-	-	-	3	-	29	-	-	-	-	15
	6	0	-	16	-	-	-	0	-	16	-	-	-	-	21
6	1	1	-	32	5	0	0	0	-	0	4	0	0	-	17
	2	1	-	20	1	0	0	0	-	0	8	0	0	-	16
	3	0	-	77	4	0	4	0	-	1	22	0	31	-	12
	4	1	-	125	3	0	6	0	-	0	10	0	40	-	21
	5	0	-	29	0	0	0	0	-	0	1	0	0	-	11
	6	1	-	35	1	0	1	0	-	0	0	0	4	-	8
7	1	0	-	37	1	0	0	0	-	0	0	0	9	-	2
	2	0	-	50	1	0	1	0	-	0	0	0	9	-	8
	3	0	-	42	3	0	0	0	-	0	3	0	3	-	0
	4	0	-	11	4	0	0	0	-	0	0	0	2	-	4
	5	0	-	35	0	0	2	0	-	0	0	0	0	-	5
	6	2	-	28	6	0	3	1	-	0	2	0	2	-	1
8	1	0	0	26	1	0	4	2	2	0	2	0	1	-	0
	2	1	2	2	21	0	0	0	4	0	8	0	11	-	0
	3	7	1	2	28	0	0	1	5	0	4	0	5	-	0
	4	1	2	1	6	0	2	0	1	0	2	0	2	-	0
	5	0	0	1	0	0	10	1	3	0	1	0	2	-	2
	6	4	4	1	18	0	7	4	7	0	10	0	2	-	1
9	1	0	4	7	13	0	1	1	3	0	3	0	0	-	0
	2	3	4	15	13	0	1	3	13	0	6	0	0	-	2
	3	0	6	47	12	-	4	7	3	1	1	-	0	-	2
	4	2	1	95	2	-	0	0	2	3	2	-	0	-	9
	5	1	0	88	3	-	0	1	1	12	3	-	0	-	12
	6	1	1	55	1	-	0	1	3	12	3	-	0	-	11
10	1	2	2	69	-	-	-	1	3	9	-	-	-	-	17
	2	6	6	133	-	-	-	1	3	38	-	-	-	-	10
	3	0	2	46	-	-	-	0	1	9	-	-	-	-	11
	4	0	0	8	-	-	-	1	1	3	-	-	-	-	7
	5	0	0	6	-	-	-	0	10	2	-	-	-	-	7
	6	0	0	2	-	-	-	0	2	1	-	-	-	-	4
合計		34	35	1253	147	0	46	29	67	138	95	0	123		343