

表10. 年齢階級別死亡数： 部位別、性別

長崎県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳	
男	全部位	C00-C97	2,708	0	0	0	2	0	5	6	4	8	20	36	97	216	369	345	414	548	410	192	31	5	0	
	口腔・咽頭	C00-C14	66	0	0	0	0	0	1	1	0	1	1	1	9	6	17	7	5	10	5	1	1	0	0	
	食道	C15	117	0	0	0	0	0	0	0	0	0	2	1	3	16	25	24	21	11	8	6	0	0	0	
	胃	C16	321	0	0	0	0	0	0	1	0	0	1	5	14	28	46	33	48	63	57	20	5	0	0	
	大腸（結腸・直腸）	C18-C20	319	0	0	0	0	0	0	2	2	3	4	8	16	30	43	43	39	54	38	27	9	1	0	
	結腸	C18	203	0	0	0	0	0	0	2	1	2	1	4	8	15	26	25	27	38	25	22	7	0	0	
	直腸	C19-C20	116	0	0	0	0	0	0	0	1	1	3	4	8	15	17	18	12	16	13	5	2	1	0	
	肝および肝内胆管	C22	264	0	0	0	0	0	0	0	0	0	1	4	10	18	34	35	54	60	35	11	2	0	0	
	胆のう・胆管	C23-C24	123	0	0	0	0	0	0	0	0	0	1	0	1	13	7	13	24	29	30	3	1	1	0	
	膵臓	C25	195	0	0	0	0	0	0	0	0	0	1	3	9	15	29	32	28	40	28	10	0	0	0	
	喉頭	C32	7	0	0	0	0	0	0	0	0	0	0	0	0	0	1	0	2	3	1	0	0	0	0	
	肺	C33-C34	648	0	0	0	0	0	0	0	0	1	4	4	23	55	86	85	95	132	102	55	5	1	0	
	皮膚	C43-C44	7	0	0	0	0	0	0	0	0	0	0	0	0	1	0	1	0	2	1	1	1	0	0	
	乳房	C50	
	前立腺	C61	135	0	0	0	0	0	0	0	0	0	0	1	1	2	10	13	24	33	29	18	4	0	0	
	膀胱	C67	72	0	0	0	0	0	0	0	0	0	0	0	0	1	4	5	5	8	19	16	13	1	0	0
	腎・尿路（膀胱除く）	C64-C66 C68	67	0	0	0	0	0	0	0	0	0	1	4	1	3	7	9	9	12	14	7	0	0	0	
	脳・中枢神経系	C70-C72	19	0	0	0	1	0	2	0	1	0	0	1	0	4	4	1	1	2	2	0	0	0	0	
	甲状腺	C73	10	0	0	0	0	0	0	0	0	0	0	0	0	1	2	1	0	5	0	1	0	0	0	
	悪性リンパ腫	C81-C85 C96	89	0	0	0	0	0	0	0	1	1	0	1	4	8	10	13	11	20	11	9	0	0	0	
	多発性骨髄腫	C88-C90	29	0	0	0	0	0	0	0	0	1	0	0	0	0	0	5	5	10	8	0	0	0	0	
	白血病	C91-C95	109	0	0	0	1	0	1	0	0	0	2	2	3	7	28	11	19	20	8	5	1	1	0	

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

長崎県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
女	全部位	C00-C97	2,051	0	0	3	1	1	2	4	9	17	25	45	95	116	158	168	243	351	418	268	102	25	0
	口腔・咽頭	C00-C14	29	0	0	0	0	0	0	0	0	0	2	1	1	1	1	6	3	2	4	6	1	1	0
	食道	C15	26	0	0	0	0	0	0	0	0	1	0	3	0	2	2	3	3	3	5	3	1	0	0
	胃	C16	192	0	0	0	0	0	0	0	1	2	5	3	11	11	16	15	22	24	39	30	10	3	0
	大腸（結腸・直腸）	C18-C20	315	0	0	0	1	0	0	0	1	1	3	6	13	15	27	21	33	54	74	42	20	4	0
	結腸	C18	240	0	0	0	1	0	0	0	1	1	3	5	6	11	20	15	26	38	59	34	16	4	0
	直腸	C19-C20	75	0	0	0	0	0	0	0	0	0	0	1	7	4	7	6	7	16	15	8	4	0	0
	肝および肝内胆管	C22	158	0	0	0	0	0	0	0	0	0	0	0	2	4	7	15	29	35	34	28	1	3	0
	胆のう・胆管	C23-C24	147	0	0	0	0	0	0	0	0	0	0	1	3	3	8	10	16	29	33	27	16	1	0
	膵臓	C25	205	0	0	0	0	0	0	0	0	0	1	3	6	13	16	25	32	38	34	29	8	0	0
	喉頭	C32	2	0	0	0	0	0	0	0	0	0	0	1	0	0	0	0	0	0	0	1	0	0	0
	肺	C33-C34	301	0	0	0	0	0	0	0	1	0	1	5	9	13	20	22	32	66	63	45	17	7	0
	皮膚	C43-C44	12	0	0	0	0	0	0	0	0	1	0	0	1	0	0	0	2	1	1	3	2	1	0
	乳房	C50	176	0	0	0	0	0	0	0	4	5	6	10	23	28	23	9	15	18	15	11	8	1	0
	子宮	C53-C55	80	0	0	0	0	0	1	3	1	2	2	1	11	5	6	12	8	10	10	4	3	1	0
	子宮頸部	C53	38	0	0	0	0	0	1	3	1	1	1	1	5	4	3	7	2	2	3	3	0	1	0
	子宮体部	C54	22	0	0	0	0	0	0	0	0	1	0	0	4	1	2	2	4	4	2	0	2	0	0
	卵巣	C56	53	0	0	0	0	0	0	0	0	4	0	6	7	7	4	1	5	7	10	2	0	0	0
	膀胱	C67	43	0	0	0	0	0	0	0	0	0	0	1	1	2	3	2	5	12	9	1	6	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	28	0	0	0	0	0	0	0	1	0	0	1	0	1	5	1	3	5	5	5	1	0	0
	脳・中枢神経系	C70-C72	13	0	0	2	0	0	0	0	0	0	0	1	0	1	1	1	1	2	4	0	0	0	0
	甲状腺	C73	15	0	0	0	0	0	0	0	0	0	0	0	0	0	1	1	4	2	6	1	0	0	0
	悪性リンパ腫	C81-C85 C96	63	0	0	0	0	0	0	0	0	0	1	0	2	3	1	4	5	15	24	6	2	0	0
	多発性骨髄腫	C88-C90	33	0	0	0	0	0	0	0	0	0	1	0	1	3	2	3	5	3	12	3	0	0	0
	白血病	C91-C95	72	0	0	0	0	1	0	0	0	0	1	2	0	2	7	13	10	16	13	4	3	0	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表10. 年齢階級別死亡数： 部位別、性別

長崎県 2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上	不詳
総数 *2	全部位	C00-C97	4,759	0	0	3	3	1	7	10	13	25	45	81	192	332	527	513	657	899	828	460	133	30	0
	口腔・咽頭	C00-C14	95	0	0	0	0	0	1	1	0	1	3	2	10	7	18	13	8	12	9	7	2	1	0
	食道	C15	143	0	0	0	0	0	0	0	0	1	2	4	3	18	27	27	24	14	13	9	1	0	0
	胃	C16	513	0	0	0	0	0	0	1	1	2	6	8	25	39	62	48	70	87	96	50	15	3	0
	大腸（結腸・直腸）	C18-C20	634	0	0	0	1	0	0	2	3	4	7	14	29	45	70	64	72	108	112	69	29	5	0
	結腸	C18	443	0	0	0	1	0	0	2	2	3	4	9	14	26	46	40	53	76	84	56	23	4	0
	直腸	C19-C20	191	0	0	0	0	0	0	0	1	1	3	5	15	19	24	24	19	32	28	13	6	1	0
	肝および肝内胆管	C22	422	0	0	0	0	0	0	0	0	0	1	4	12	22	41	50	83	95	69	39	3	3	0
	胆のう・胆管	C23-C24	270	0	0	0	0	0	0	0	0	0	1	1	4	16	15	23	40	58	63	30	17	2	0
	膵臓	C25	400	0	0	0	0	0	0	0	0	0	2	6	15	28	45	57	60	78	62	39	8	0	0
	喉頭	C32	9	0	0	0	0	0	0	0	0	0	0	1	0	0	1	0	2	3	1	1	0	0	0
	肺	C33-C34	949	0	0	0	0	0	0	0	1	1	5	9	32	68	106	107	127	198	165	100	22	8	0
	皮膚	C43-C44	19	0	0	0	0	0	0	0	0	1	0	0	1	1	0	1	2	3	2	4	3	1	0
	乳房	C50	176	0	0	0	0	0	0	0	4	5	6	10	23	28	23	9	15	18	15	11	8	1	0
	子宮	C53-C55	80	0	0	0	0	0	1	3	1	2	2	1	11	5	6	12	8	10	10	4	3	1	0
	子宮頸部	C53	38	0	0	0	0	0	1	3	1	1	1	1	5	4	3	7	2	2	3	3	0	1	0
	子宮体部	C54	22	0	0	0	0	0	0	0	0	1	0	0	4	1	2	2	4	4	2	0	2	0	0
	卵巣	C56	53	0	0	0	0	0	0	0	0	4	0	6	7	7	4	1	5	7	10	2	0	0	0
	前立腺	C61	135	0	0	0	0	0	0	0	0	0	0	1	1	2	10	13	24	33	29	18	4	0	0
	膀胱	C67	115	0	0	0	0	0	0	0	0	0	0	1	2	6	8	7	13	31	25	14	7	1	0
	腎・尿路（膀胱除く）	C64-C66 C68	95	0	0	0	0	0	0	0	1	0	1	5	1	4	12	10	12	17	19	12	1	0	0
	脳・中枢神経系	C70-C72	32	0	0	2	1	0	2	0	1	0	0	2	0	5	5	2	2	4	6	0	0	0	0
	甲状腺	C73	25	0	0	0	0	0	0	0	0	0	0	0	0	1	3	2	4	7	6	2	0	0	0
	悪性リンパ腫	C81-C85 C96	152	0	0	0	0	0	0	0	1	1	1	1	6	11	11	17	16	35	35	15	2	0	0
	多発性骨髄腫	C88-C90	62	0	0	0	0	0	0	0	0	1	1	0	1	3	2	8	10	13	20	3	0	0	0
	白血病	C91-C95	181	0	0	0	1	1	1	0	0	0	3	4	3	9	35	24	29	36	21	9	4	1	0

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

長崎県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳
男	全部位	C00-C97	425.1	0.0	0.0	0.0	6.1	0.0	17.9	18.2	10.8	18.6	48.8	92.3	215.6	415.4	636.2	985.7	1,293.8	2,107.7	1,952.4	-	-	-
	口腔・咽頭	C00-C14	10.4	0.0	0.0	0.0	0.0	0.0	3.6	3.0	0.0	2.3	2.4	2.6	20.0	11.5	29.3	20.0	15.6	38.5	23.8	-	-	-
	食道	C15	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	2.6	6.7	30.8	43.1	68.6	65.6	42.3	38.1	-	-	-
	胃	C16	50.4	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	2.4	12.8	31.1	53.8	79.3	94.3	150.0	242.3	271.4	-	-	-
	大腸（結腸・直腸）	C18-C20	50.1	0.0	0.0	0.0	0.0	0.0	0.0	6.1	5.4	7.0	9.8	20.5	35.6	57.7	74.1	122.9	121.9	207.7	181.0	-	-	-
	結腸	C18	31.9	0.0	0.0	0.0	0.0	0.0	0.0	6.1	2.7	4.7	2.4	10.3	17.8	28.8	44.8	71.4	84.4	146.2	119.0	-	-	-
	直腸	C19-C20	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.3	7.3	10.3	17.8	28.8	29.3	51.4	37.5	61.5	61.9	-	-	-
	肝および肝内胆管	C22	41.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.3	22.2	34.6	58.6	100.0	168.8	230.8	166.7	-	-	-
	胆のう・胆管	C23-C24	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	2.2	25.0	12.1	37.1	75.0	111.5	142.9	-	-	-
	膵臓	C25	30.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	7.7	20.0	28.8	50.0	91.4	87.5	153.8	133.3	-	-	-
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	6.3	11.5	4.8	-	-	-
	肺	C33-C34	101.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	9.8	10.3	51.1	105.8	148.3	242.9	296.9	507.7	485.7	-	-	-
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	2.9	0.0	7.7	4.8	-	-	-
	乳房	C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.2	3.8	17.2	37.1	75.0	126.9	138.1	-	-	-
	膀胱	C67	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.7	8.6	14.3	25.0	73.1	76.2	-	-	-
	腎・尿路（膀胱除く）	C64-C66 C68	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.3	2.2	5.8	12.1	25.7	28.1	46.2	66.7	-	-	-
	脳・中枢神経系	C70-C72	3.0	0.0	0.0	0.0	3.0	0.0	7.1	0.0	2.7	0.0	0.0	2.6	0.0	7.7	6.9	2.9	3.1	7.7	9.5	-	-	-
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.4	2.9	0.0	19.2	0.0	-	-	-
	悪性リンパ腫	C81-C85 C96	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.3	0.0	2.6	8.9	15.4	17.2	37.1	34.4	76.9	52.4	-	-	-
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	14.3	15.6	38.5	38.1	-	-	-
	白血病	C91-C95	17.1	0.0	0.0	0.0	3.0	0.0	3.6	0.0	0.0	0.0	4.9	5.1	6.7	13.5	48.3	31.4	59.4	76.9	38.1	-	-	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

長崎県 2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
女	全部位	C00-C97	284.5	0.0	0.0	10.0	3.1	4.0	7.1	11.8	23.7	37.8	56.8	104.7	202.1	214.8	254.8	390.7	540.0	856.1	788.7
	口腔・咽頭	C00-C14	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	2.3	2.1	1.9	1.6	14.0	6.7	4.9	7.5
	食道	C15	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	7.0	0.0	3.7	3.2	7.0	6.7	7.3	9.4
	胃	C16	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.4	11.4	7.0	23.4	20.4	25.8	34.9	48.9	58.5	73.6
	大腸（結腸・直腸）	C18-C20	43.7	0.0	0.0	0.0	3.1	0.0	0.0	0.0	2.6	2.2	6.8	14.0	27.7	27.8	43.5	48.8	73.3	131.7	139.6
	結腸	C18	33.3	0.0	0.0	0.0	3.1	0.0	0.0	0.0	2.6	2.2	6.8	11.6	12.8	20.4	32.3	34.9	57.8	92.7	111.3
	直腸	C19-C20	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	14.9	7.4	11.3	14.0	15.6	39.0	28.3
	肝および肝内胆管	C22	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.4	11.3	34.9	64.4	85.4	64.2
	胆のう・胆管	C23-C24	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.4	5.6	12.9	23.3	35.6	70.7	62.3
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	7.0	12.8	24.1	25.8	58.1	71.1	92.7	64.2
	喉頭	C32	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	肺	C33-C34	41.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	2.3	11.6	19.1	24.1	32.3	51.2	71.1	161.0	118.9
	皮膚	C43-C44	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	2.1	0.0	0.0	0.0	4.4	2.4	1.9
	乳房	C50	24.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	11.1	13.6	23.3	48.9	51.9	37.1	20.9	33.3	43.9	28.3
	子宮	C53-C55	11.1	0.0	0.0	0.0	0.0	0.0	3.6	8.8	2.6	4.4	4.5	2.3	23.4	9.3	9.7	27.9	17.8	24.4	18.9
	子宮頸部	C53	5.3	0.0	0.0	0.0	0.0	0.0	3.6	8.8	2.6	2.2	2.3	2.3	10.6	7.4	4.8	16.3	4.4	4.9	5.7
	子宮体部	C54	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	8.5	1.9	3.2	4.7	8.9	9.8	3.8
	卵巣	C56	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	0.0	14.0	14.9	13.0	6.5	2.3	11.1	17.1	18.9
	膀胱	C67	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	3.7	4.8	4.7	11.1	29.3	17.0
	腎・尿路（膀胱除く）	C64-C66 C68	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	2.3	0.0	1.9	8.1	2.3	6.7	12.2	9.4
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.9	1.6	2.3	2.2	4.9	7.5
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.3	8.9	4.9	11.3
	悪性リンパ腫	C81-C85 C96	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	4.3	5.6	1.6	9.3	11.1	36.6	45.3
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.1	5.6	3.2	7.0	11.1	7.3	22.6
	白血病	C91-C95	10.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	2.3	4.7	0.0	3.7	11.3	30.2	22.2	39.0	24.5

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-1. 年齢階級別死亡率（人口10万対，100歳以上まるめ）： 部位別、性別

長崎県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85-89歳	90-94歳	95-99歳	100歳以上 不詳	
総数 *2	全部位	C00-C97	350.4	0.0	0.0	4.8	4.6	2.0	12.5	14.9	17.3	28.4	52.9	98.8	208.7	313.2	439.2	657.7	853.2	1,341.8	1,118.9
	口腔・咽頭	C00-C14	7.0	0.0	0.0	0.0	0.0	0.0	1.8	1.5	0.0	1.1	3.5	2.4	10.9	6.6	15.0	16.7	10.4	17.9	12.2
	食道	C15	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	4.9	3.3	17.0	22.5	34.6	31.2	20.9	17.6
	胃	C16	37.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	2.3	7.1	9.8	27.2	36.8	51.7	61.5	90.9	129.9	129.7
	大腸（結腸・直腸）	C18-C20	46.7	0.0	0.0	0.0	1.5	0.0	0.0	3.0	4.0	4.5	8.2	17.1	31.5	42.5	58.3	82.1	93.5	161.2	151.4
	結腸	C18	32.6	0.0	0.0	0.0	1.5	0.0	0.0	3.0	2.7	3.4	4.7	11.0	15.2	24.5	38.3	51.3	68.8	113.4	113.5
	直腸	C19-C20	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	3.5	6.1	16.3	17.9	20.0	30.8	24.7	47.8	37.8
	肝および肝内胆管	C22	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.9	13.0	20.8	34.2	64.1	107.8	141.8	93.2
	胆のう・胆管	C23-C24	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	4.3	15.1	12.5	29.5	51.9	86.6	85.1
	膵臓	C25	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	7.3	16.3	26.4	37.5	73.1	77.9	116.4	83.8
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.8	0.0	2.6	4.5	1.4
	肺	C33-C34	69.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	5.9	11.0	34.8	64.2	88.3	137.2	164.9	295.5	223.0
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	0.9	0.0	1.3	2.6	4.5	2.7
	乳房	C50	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	5.7	7.1	12.2	25.0	26.4	19.2	11.5	19.5	26.9	20.3
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.2	5.7	6.7	9.0	16.9	46.3	33.8
	腎・尿路（膀胱除く）	C64-C66 C68	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.2	6.1	1.1	3.8	10.0	12.8	15.6	25.4	25.7
	脳・中枢神経系	C70-C72	2.4	0.0	0.0	3.2	1.5	0.0	3.6	0.0	1.3	0.0	0.0	2.4	0.0	4.7	4.2	2.6	2.6	6.0	8.1
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.5	2.6	5.2	10.4	8.1
	悪性リンパ腫	C81-C85 C96	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.2	1.2	6.5	10.4	9.2	21.8	20.8	52.2	47.3
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	0.0	1.1	2.8	1.7	10.3	13.0	19.4	27.0
	白血病	C91-C95	13.3	0.0	0.0	0.0	1.5	2.0	1.8	0.0	0.0	0.0	3.5	4.9	3.3	8.5	29.2	30.8	37.7	53.7	28.4

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

長崎県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
男	全部位	C00-C97	425.1	0.0	0.0	0.0	6.1	0.0	17.9	18.2	10.8	18.6	48.8	92.3	215.6	415.4	636.2	985.7	1,293.8	2,107.7	3,038.1	-
	口腔・咽頭	C00-C14	10.4	0.0	0.0	0.0	0.0	0.0	3.6	3.0	0.0	2.3	2.4	2.6	20.0	11.5	29.3	20.0	15.6	38.5	33.3	-
	食道	C15	18.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.9	2.6	6.7	30.8	43.1	68.6	65.6	42.3	66.7	-
	胃	C16	50.4	0.0	0.0	0.0	0.0	0.0	0.0	3.0	0.0	0.0	2.4	12.8	31.1	53.8	79.3	94.3	150.0	242.3	390.5	-
	大腸（結腸・直腸）	C18-C20	50.1	0.0	0.0	0.0	0.0	0.0	0.0	6.1	5.4	7.0	9.8	20.5	35.6	57.7	74.1	122.9	121.9	207.7	357.1	-
	結腸	C18	31.9	0.0	0.0	0.0	0.0	0.0	0.0	6.1	2.7	4.7	2.4	10.3	17.8	28.8	44.8	71.4	84.4	146.2	257.1	-
	直腸	C19-C20	18.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.3	7.3	10.3	17.8	28.8	29.3	51.4	37.5	61.5	100.0	-
	肝および肝内胆管	C22	41.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.3	22.2	34.6	58.6	100.0	168.8	230.8	228.6	-
	胆のう・胆管	C23-C24	19.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	0.0	2.2	25.0	12.1	37.1	75.0	111.5	166.7	-
	膵臓	C25	30.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	7.7	20.0	28.8	50.0	91.4	87.5	153.8	181.0	-
	喉頭	C32	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.7	0.0	6.3	11.5	4.8	-
	肺	C33-C34	101.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	9.8	10.3	51.1	105.8	148.3	242.9	296.9	507.7	776.2	-
	皮膚	C43-C44	1.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	0.0	2.9	0.0	7.7	14.3	-
	乳房	C50	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	2.2	3.8	17.2	37.1	75.0	126.9	242.9	-
	膀胱	C67	11.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	7.7	8.6	14.3	25.0	73.1	142.9	-
	腎・尿路（膀胱除く）	C64-C66 C68	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	10.3	2.2	5.8	12.1	25.7	28.1	46.2	100.0	-
	脳・中枢神経系	C70-C72	3.0	0.0	0.0	0.0	3.0	0.0	7.1	0.0	2.7	0.0	0.0	2.6	0.0	7.7	6.9	2.9	3.1	7.7	9.5	-
	甲状腺	C73	1.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	3.4	2.9	0.0	19.2	4.8	-
	悪性リンパ腫	C81-C85 C96	14.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.7	2.3	0.0	2.6	8.9	15.4	17.2	37.1	34.4	76.9	95.2	-
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	14.3	15.6	38.5	38.1	-
	白血病	C91-C95	17.1	0.0	0.0	0.0	3.0	0.0	3.6	0.0	0.0	0.0	4.9	5.1	6.7	13.5	48.3	31.4	59.4	76.9	71.4	-

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

長崎県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
女	全部位	C00-C97	284.5	0.0	0.0	10.0	3.1	4.0	7.1	11.8	23.7	37.8	56.8	104.7	202.1	214.8	254.8	390.7	540.0	856.1	1,534.0	.
	口腔・咽頭	C00-C14	4.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.5	2.3	2.1	1.9	1.6	14.0	6.7	4.9	22.6	.
	食道	C15	3.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	7.0	0.0	3.7	3.2	7.0	6.7	7.3	17.0	.
	胃	C16	26.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	4.4	11.4	7.0	23.4	20.4	25.8	34.9	48.9	58.5	154.7	.
	大腸（結腸・直腸）	C18-C20	43.7	0.0	0.0	0.0	3.1	0.0	0.0	0.0	2.6	2.2	6.8	14.0	27.7	27.8	43.5	48.8	73.3	131.7	264.2	.
	結腸	C18	33.3	0.0	0.0	0.0	3.1	0.0	0.0	0.0	2.6	2.2	6.8	11.6	12.8	20.4	32.3	34.9	57.8	92.7	213.2	.
	直腸	C19-C20	10.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	14.9	7.4	11.3	14.0	15.6	39.0	50.9	.
	肝および肝内胆管	C22	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.3	7.4	11.3	34.9	64.4	85.4	124.5	.
	胆のう・胆管	C23-C24	20.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	6.4	5.6	12.9	23.3	35.6	70.7	145.3	.
	膵臓	C25	28.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	7.0	12.8	24.1	25.8	58.1	71.1	92.7	134.0	.
	喉頭	C32	0.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	0.0	0.0	0.0	1.9	.
	肺	C33-C34	41.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	2.3	11.6	19.1	24.1	32.3	51.2	71.1	161.0	249.1	.
	皮膚	C43-C44	1.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	2.1	0.0	0.0	0.0	4.4	2.4	13.2	.
	乳房	C50	24.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.5	11.1	13.6	23.3	48.9	51.9	37.1	20.9	33.3	43.9	66.0	.
	子宮	C53-C55	11.1	0.0	0.0	0.0	0.0	0.0	3.6	8.8	2.6	4.4	4.5	2.3	23.4	9.3	9.7	27.9	17.8	24.4	34.0	.
	子宮頸部	C53	5.3	0.0	0.0	0.0	0.0	0.0	3.6	8.8	2.6	2.2	2.3	2.3	10.6	7.4	4.8	16.3	4.4	4.9	13.2	.
	子宮体部	C54	3.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	8.5	1.9	3.2	4.7	8.9	9.8	7.5	.
	卵巣	C56	7.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	8.9	0.0	14.0	14.9	13.0	6.5	2.3	11.1	17.1	22.6	.
	膀胱	C67	6.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.1	3.7	4.8	4.7	11.1	29.3	32.1	.
	腎・尿路（膀胱除く）	C64-C66 C68	3.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.6	0.0	0.0	2.3	0.0	1.9	8.1	2.3	6.7	12.2	20.8	.
	脳・中枢神経系	C70-C72	1.8	0.0	0.0	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	1.9	1.6	2.3	2.2	4.9	7.5	.
	甲状腺	C73	2.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.6	2.3	8.9	4.9	13.2	.
	悪性リンパ腫	C81-C85 C96	8.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	4.3	5.6	1.6	9.3	11.1	36.6	60.4	.
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.1	5.6	3.2	7.0	11.1	7.3	28.3	.
	白血病	C91-C95	10.0	0.0	0.0	0.0	0.0	4.0	0.0	0.0	0.0	0.0	2.3	4.7	0.0	3.7	11.3	30.2	22.2	39.0	37.7	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

表11-2. 年齢階級別死亡率（人口10万対，85歳以上まるめ）： 部位別、性別

長崎県

2016年

性別	部位	ICD-10	総数 *1	0-4歳	5-9歳	10-14歳	15-19歳	20-24歳	25-29歳	30-34歳	35-39歳	40-44歳	45-49歳	50-54歳	55-59歳	60-64歳	65-69歳	70-74歳	75-79歳	80-84歳	85歳以上	不詳
総数 *2	全部位	C00-C97	350.4	0.0	0.0	4.8	4.6	2.0	12.5	14.9	17.3	28.4	52.9	98.8	208.7	313.2	439.2	657.7	853.2	1,341.8	1,960.8	.
	口腔・咽頭	C00-C14	7.0	0.0	0.0	0.0	0.0	0.0	1.8	1.5	0.0	1.1	3.5	2.4	10.9	6.6	15.0	16.7	10.4	17.9	25.7	.
	食道	C15	10.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	2.4	4.9	3.3	17.0	22.5	34.6	31.2	20.9	31.1	.
	胃	C16	37.8	0.0	0.0	0.0	0.0	0.0	0.0	1.5	1.3	2.3	7.1	9.8	27.2	36.8	51.7	61.5	90.9	129.9	221.6	.
	大腸（結腸・直腸）	C18-C20	46.7	0.0	0.0	0.0	1.5	0.0	0.0	3.0	4.0	4.5	8.2	17.1	31.5	42.5	58.3	82.1	93.5	161.2	290.5	.
	結腸	C18	32.6	0.0	0.0	0.0	1.5	0.0	0.0	3.0	2.7	3.4	4.7	11.0	15.2	24.5	38.3	51.3	68.8	113.4	225.7	.
	直腸	C19-C20	14.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	3.5	6.1	16.3	17.9	20.0	30.8	24.7	47.8	64.9	.
	肝および肝内胆管	C22	31.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	4.9	13.0	20.8	34.2	64.1	107.8	141.8	154.1	.
	胆のう・胆管	C23-C24	19.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	1.2	4.3	15.1	12.5	29.5	51.9	86.6	151.4	.
	膵臓	C25	29.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.4	7.3	16.3	26.4	37.5	73.1	77.9	116.4	147.3	.
	喉頭	C32	0.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	0.0	0.0	0.8	0.0	2.6	4.5	2.7	.
	肺	C33-C34	69.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	5.9	11.0	34.8	64.2	88.3	137.2	164.9	295.5	398.6	.
	皮膚	C43-C44	1.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	0.0	0.0	1.1	0.9	0.0	1.3	2.6	4.5	13.5	.
	乳房	C50	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	5.7	7.1	12.2	25.0	26.4	19.2	11.5	19.5	26.9	47.3	.
	子宮	C53-C55	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮頸部	C53	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	子宮体部	C54	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	卵巣	C56	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	前立腺	C61	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
	膀胱	C67	8.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.2	2.2	5.7	6.7	9.0	16.9	46.3	63.5	.
	腎・尿路（膀胱除く）	C64-C66 C68	7.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	0.0	1.2	6.1	1.1	3.8	10.0	12.8	15.6	25.4	43.2	.
	脳・中枢神経系	C70-C72	2.4	0.0	0.0	3.2	1.5	0.0	3.6	0.0	1.3	0.0	0.0	2.4	0.0	4.7	4.2	2.6	2.6	6.0	8.1	.
	甲状腺	C73	1.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.9	2.5	2.6	5.2	10.4	10.8	.
	悪性リンパ腫	C81-C85 C96	11.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.3	1.1	1.2	1.2	6.5	10.4	9.2	21.8	20.8	52.2	70.3	.
	多発性骨髄腫	C88-C90	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	1.1	1.2	0.0	1.1	2.8	1.7	10.3	13.0	19.4	31.1	.
	白血病	C91-C95	13.3	0.0	0.0	0.0	1.5	2.0	1.8	0.0	0.0	0.0	3.5	4.9	3.3	8.5	29.2	30.8	37.7	53.7	47.3	.

*1 総数は年齢不詳を含む

*2 総数は男女および性別不詳の合計

付表1. 罹患者数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

長崎県

2016年

部位	ICD-10	罹患者数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
全部位	000-096 000-947	8,631	7,079	15,712	100.0	100.0	100.0	1,344.4	976.4	1,149.4	623.2	518.9	555.8	441.4	395.3	409.4	52.7	42.2	46.9
全部位	000-096	7,620	5,959	13,581	88.3	84.2	86.4	1,186.9	821.9	993.5	540.5	397.6	454.9	380.9	298.0	331.1	45.4	32.9	38.6
口唇	000	1	3	4	0.0	0.0	0.0	0.2	0.4	0.3	0.0	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0
舌根<基底>部	001	6	3	9	0.1	0.0	0.1	0.9	0.4	0.7	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
その他および部位不明の舌	002	51	29	80	0.6	0.4	0.5	7.9	4.0	5.9	4.8	2.4	3.6	3.7	1.8	2.7	0.4	0.2	0.3
歯肉	003	18	20	38	0.2	0.3	0.2	2.8	2.8	2.8	1.2	0.7	0.9	0.8	0.5	0.6	0.1	0.0	0.1
口腔底	004	10	2	12	0.1	0.0	0.1	1.6	0.3	0.9	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
口蓋	005	5	2	7	0.1	0.0	0.0	0.8	0.3	0.5	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
その他および部位不明の口腔	006	8	6	14	0.1	0.1	0.1	1.2	0.8	1.0	0.5	0.3	0.4	0.3	0.2	0.3	0.0	0.0	0.0
耳下腺	007	8	7	15	0.1	0.1	0.1	1.2	1.0	1.1	0.7	0.7	0.7	0.6	0.6	0.6	0.1	0.1	0.1
その他および部位不明の大唾液腺	008	9	2	11	0.1	0.0	0.1	1.4	0.3	0.8	0.6	0.0	0.3	0.4	0.0	0.2	0.0	0.0	0.0
扁桃	009	4	1	5	0.0	0.0	0.0	0.6	0.1	0.4	0.4	0.3	0.3	0.3	0.3	0.3	0.0	0.0	0.0
中咽頭	010	27	8	35	0.3	0.1	0.2	4.2	1.1	2.6	2.1	0.6	1.3	1.6	0.5	1.0	0.2	0.1	0.1
鼻<上>咽頭	011	4	3	7	0.0	0.0	0.0	0.6	0.4	0.5	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0
梨状陥凹<洞>	012	25	3	28	0.3	0.0	0.2	3.9	0.4	2.0	1.9	0.2	1.0	1.4	0.2	0.8	0.2	0.0	0.1
下咽頭	013	34	8	42	0.4	0.1	0.3	5.3	1.1	3.1	2.5	0.5	1.4	1.7	0.4	1.0	0.2	0.0	0.1
その他および部位不明の口唇、口腔および咽頭	014	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
食道	015	276	51	327	3.2	0.7	2.1	43.0	7.0	23.9	20.0	3.3	10.9	14.4	2.5	8.0	2.0	0.3	1.1
胃	016	1,207	566	1,773	14.0	8.0	11.3	188.0	78.1	129.7	83.8	29.0	53.2	57.6	20.5	37.1	6.8	2.3	4.4
小腸	017	35	21	56	0.4	0.3	0.4	5.5	2.9	4.1	3.1	1.4	2.2	2.2	1.0	1.6	0.2	0.1	0.2
結腸	018	754	691	1,445	8.7	9.8	9.2	117.4	95.3	105.7	54.3	37.9	45.1	38.4	27.8	32.4	4.6	3.1	3.8
直腸S状結腸移行部	019	83	48	131	1.0	0.7	0.8	12.9	6.6	9.6	6.6	3.6	5.0	4.8	2.8	3.7	0.7	0.4	0.5
直腸	020	344	227	571	4.0	3.2	3.6	53.6	31.3	41.8	28.1	13.2	20.1	20.5	9.7	14.7	2.4	1.1	1.8
肛門および肛門管	021	8	4	12	0.1	0.1	0.1	1.2	0.6	0.9	0.6	0.3	0.4	0.4	0.2	0.3	0.1	0.0	0.0
肝および肝内胆管	022	471	252	723	5.5	3.6	4.6	73.4	34.8	52.9	31.9	9.5	19.5	21.5	6.1	13.1	2.6	0.6	1.6
胆のう	023	53	87	140	0.6	1.2	0.9	8.3	12.0	10.2	3.4	3.3	3.4	2.3	2.1	2.2	0.3	0.2	0.2
その他および部位不明の胆道	024	114	88	202	1.3	1.2	1.3	17.8	12.1	14.8	7.0	3.4	4.9	4.6	2.3	3.3	0.5	0.2	0.4
膵臓	025	293	275	568	3.4	3.9	3.6	45.6	37.9	41.6	20.2	13.0	16.3	14.2	9.1	11.4	1.7	1.1	1.4
その他および部位不明の消化器	026	11	9	20	0.1	0.1	0.1	1.7	1.2	1.5	0.8	0.5	0.7	0.5	0.4	0.5	0.0	0.1	0.1
鼻腔および中耳	030	4	6	10	0.0	0.1	0.1	0.6	0.8	0.7	0.3	0.4	0.3	0.2	0.3	0.2	0.0	0.0	0.0
副鼻腔	031	9	2	11	0.1	0.0	0.1	1.4	0.3	0.8	0.7	0.0	0.3	0.5	0.0	0.3	0.1	0.0	0.0
喉頭	032	64	6	70	0.7	0.1	0.4	10.0	0.8	5.1	5.1	0.3	2.5	3.7	0.2	1.8	0.5	0.0	0.2
気管	033	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	034	1,187	711	1,900	13.8	10.0	12.1	184.9	98.1	139.0	79.2	37.3	55.5	55.1	26.2	38.9	6.9	3.2	4.9
胸腺	037	7	3	10	0.1	0.0	0.1	1.1	0.4	0.7	0.7	0.1	0.4	0.5	0.1	0.3	0.1	0.0	0.0
心臓、縦隔および胸膜	038	8	4	12	0.1	0.1	0.1	1.2	0.6	0.9	0.9	0.4	0.6	0.7	0.4	0.5	0.1	0.0	0.0
その他および部位不明の呼吸器系および胸内臓器	039	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
(四) 肢の骨および関節軟骨	040	4	4	8	0.0	0.1	0.1	0.6	0.6	0.6	0.6	0.4	0.5	0.6	0.3	0.5	0.0	0.0	0.0
その他および部位不明の骨および関節軟骨	041	5	2	7	0.1	0.0	0.0	0.8	0.3	0.5	0.8	0.5	0.6	1.0	0.5	0.7	0.1	0.0	0.0
皮膚の悪性黒色腫	043	17	17	34	0.2	0.2	0.2	2.6	2.3	2.5	1.3	1.0	1.1	1.0	0.7	0.8	0.1	0.1	0.1
皮膚のその他	044	182	203	385	2.1	2.9	2.5	28.3	28.0	28.2	11.8	8.2	9.8	8.2	5.7	6.8	0.8	0.5	0.7
中皮腫	045	28	4	32	0.3	0.1	0.2	4.4	0.6	2.3	1.9	0.1	0.9	1.3	0.1	0.6	0.2	0.0	0.1
カポジ肉腫	046	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
末梢神経および自律神経系の悪性新生物	047	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
後腹膜および腹膜	048	6	10	16	0.1	0.1	0.1	0.9	1.4	1.2	0.5	0.7	0.6	0.5	0.5	0.5	0.0	0.1	0.0
その他の結合組織および軟部組織	049	27	11	38	0.3	0.2	0.2	4.2	1.5	2.8	2.4	1.1	1.7	1.9	0.9	1.3	0.2	0.1	0.1
乳房	050	7	1,143	1,150	0.1	16.1	7.3	1.1	157.7	84.1	0.5	106.3	56.1	0.3	82.0	43.0	0.0	9.0	4.7
外陰	051	-	17	17	-	0.2	0.1	-	2.3	-	-	0.7	-	-	0.4	-	-	0.0	-
陰	052	-	3	3	-	0.0	0.0	-	0.4	-	-	0.3	-	-	0.3	-	-	0.0	-
子宮頸部	053	-	159	159	-	2.2	1.0	-	21.9	-	-	20.1	-	-	15.9	-	-	1.5	-
子宮体部	054	-	194	194	-	2.7	1.2	-	26.8	-	-	18.8	-	-	14.6	-	-	1.6	-
子宮部位不明	055	-	14	14	-	0.2	0.1	-	1.9	-	-	0.7	-	-	0.5	-	-	0.1	-
卵巢	056	-	170	170	-	2.4	1.1	-	23.4	-	-	17.8	-	-	14.8	-	-	1.5	-
その他および部位不明の女性性器	057	-	5	5	-	0.1	0.0	-	0.7	-	-	0.5	-	-	0.4	-	-	0.0	-
胎盤	058	-	0	0	-	0.0	0.0	-	0.0	-	-	0.0	-	-	0.0	-	-	0.0	-
陰茎	060	5	-	5	0.1	-	0.0	0.8	-	-	-	0.2	-	-	0.1	-	-	0.0	-
前立腺	061	1,130	-	1,130	13.1	-	7.2	176.0	-	-	72.2	-	-	48.0	-	-	6.1	-	-
精巣	062	22	-	22	0.3	-	0.1	3.4	-	-	4.1	-	-	3.5	-	-	0.3	-	-
その他および部位不明の男性性器	063	6	-	6	0.1	-	0.0	0.9	-	-	0.3	-	-	0.2	-	-	0.0	-	-
腎盂を除く腎	064	165	89	254	1.9	1.3	1.6	25.7	12.3	18.6	14.2	5.2	9.4	10.8	3.7	7.1	1.2	0.4	0.8
腎盂	065	41	20	61	0.5	0.3	0.4	6.4	2.8	4.5	2.7	0.8	1.6	1.8	0.6	1.1	0.2	0.1	0.1
尿管	066	37	12	49	0.4	0.2	0.3	5.8	1.7	3.6	2.0	0.6	1.1	1.3	0.4	0.7	0.1	0.1	0.1
膀胱	067	234	96	330	2.7	1.4	2.1	36.4	13.2	24.1	14.6	3.8	8.4	10.0	2.6	5.7	1.1	0.3	0.7
その他および部位不明の泌尿器	068	1	2	3	0.0	0.0	0.0	0.2	0.3	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
眼および付属器	069	5	3	8	0.1	0.0	0.1	0.8	0.4	0.6	0.4	0.2	0.3	0.3	0.1	0.2	0.0	0.0	0.0

付表1. 罹患数、部位割合(%)、粗罹患率(人口10万対)、年齢調整罹患率(人口10万対)、累積罹患率(%) : 詳細部位別、性別

長崎県

2016年

部位	ICD-10	罹患数			部位割合			粗罹患率			年齢調整罹患率						累積罹患率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1			
								男	女	総数 *1	男	女	総数 *1						
上皮内がん	D00-D09	841	882	1,723	9.7	12.5	11.0	131.0	121.7	126.0	67.3	103.5	84.4	48.7	83.9	65.7	6.1	7.9	6.9
口腔、食道および胃	D00	59	16	75	0.7	0.2	0.5	9.2	2.2	5.5	4.6	1.1	2.7	3.2	0.8	1.9	0.4	0.1	0.3
食道	D001	48	12	60	0.6	0.2	0.4	7.5	1.7	4.4	3.8	0.8	2.2	2.7	0.6	1.5	0.4	0.1	0.2
その他および部位不明の消化器	D01	538	306	844	6.2	4.3	5.4	83.8	42.2	61.7	45.6	21.0	32.4	33.4	15.4	23.8	4.2	2.0	3.0
結腸	D010	375	207	582	4.3	2.9	3.7	58.4	28.6	42.6	31.2	14.5	22.2	22.9	10.6	16.3	3.0	1.3	2.1
直腸S状結腸移行部	D011	19	13	32	0.2	0.2	0.2	3.0	1.8	2.3	1.6	1.2	1.4	1.1	1.0	1.0	0.1	0.1	0.1
直腸	D012	103	49	152	1.2	0.7	1.0	16.0	6.8	11.1	9.3	2.9	5.9	6.9	2.1	4.3	0.8	0.3	0.5
中耳および呼吸器系	D02	2	4	6	0.0	0.1	0.0	0.3	0.6	0.4	0.3	0.2	0.2	0.2	0.2	0.2	0.0	0.0	0.0
気管	D021	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
気管支および肺	D022	1	4	5	0.0	0.1	0.0	0.2	0.6	0.4	0.1	0.2	0.2	0.1	0.2	0.1	0.0	0.0	0.0
上皮内黒色腫	D03	5	4	9	0.1	0.1	0.1	0.8	0.6	0.7	0.6	0.3	0.4	0.4	0.2	0.3	0.0	0.0	0.0
皮膚のその他	D04	32	55	87	0.4	0.8	0.6	5.0	7.6	6.4	1.8	1.9	1.9	1.1	1.3	1.2	0.1	0.1	0.1
乳房	D05	1	93	94	0.0	1.3	0.6	0.2	12.8	6.9	0.2	9.2	4.9	0.1	7.0	3.7	0.0	0.8	0.4
子宮頸部	D06	-	349	349	-	4.9	2.2	-	48.1	-	-	66.3	-	-	56.4	-	-	4.5	-
その他および部位不明の性器	D07	0	8	8	0.0	0.1	0.1	0.0	1.1	0.6	0.0	0.9	0.5	0.0	0.8	0.4	0.0	0.1	0.0
その他および部位不明	D09	204	47	251	2.4	0.7	1.6	31.8	6.5	18.4	14.2	2.4	7.7	10.0	1.7	5.5	1.2	0.2	0.7
膀胱	D090	190	42	232	2.2	0.6	1.5	29.6	5.8	17.0	13.3	2.2	7.2	9.4	1.6	5.1	1.1	0.2	0.6
良性腫瘍	D32-D35	67	128	195	0.8	1.8	1.2	10.4	17.7	14.3	7.3	11.0	9.3	5.7	8.4	7.1	0.6	0.9	0.8
髄膜	D32	32	87	119	0.4	1.2	0.8	5.0	12.0	8.7	2.9	6.6	4.9	2.1	4.9	3.6	0.3	0.6	0.4
脳および中枢神経系	D33	15	13	28	0.2	0.2	0.2	2.3	1.8	2.0	2.0	1.0	1.4	1.7	0.7	1.2	0.1	0.1	0.1
下垂体	D352	19	28	47	0.2	0.4	0.3	3.0	3.9	3.4	2.4	3.5	2.9	1.8	2.8	2.3	0.2	0.3	0.2
頭蓋咽頭管	D353	0	0	0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
松果体	D354	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
性状不詳	D42-D47	102	106	208	1.2	1.5	1.3	15.9	14.6	15.2	8.0	6.2	7.0	6.1	4.7	5.3	0.7	0.4	0.5
髄膜	D42	3	13	16	0.0	0.2	0.1	0.5	1.8	1.2	0.2	0.7	0.5	0.2	0.5	0.4	0.0	0.1	0.0
脳および中枢神経系	D43	19	25	44	0.2	0.4	0.3	3.0	3.4	3.2	2.1	1.8	1.9	1.8	1.3	1.6	0.1	0.1	0.1
下垂体	D443	4	1	5	0.0	0.0	0.0	0.6	0.1	0.4	0.5	0.1	0.2	0.3	0.0	0.2	0.0	0.0	0.0
頭蓋咽頭管	D444	0	3	3	0.0	0.0	0.0	0.0	0.4	0.2	0.0	0.7	0.3	0.0	0.7	0.4	0.0	0.0	0.0
松果体	D445	1	0	1	0.0	0.0	0.0	0.2	0.0	0.1	0.2	0.0	0.1	0.3	0.0	0.1	0.0	0.0	0.0
真正赤血球増加症	D45	5	2	7	0.1	0.0	0.0	0.8	0.3	0.5	0.3	0.1	0.2	0.3	0.1	0.2	0.0	0.0	0.0
骨髄異形成症候群	D46	60	47	107	0.7	0.7	0.7	9.3	6.5	7.8	4.1	1.8	2.8	2.8	1.2	2.0	0.3	0.1	0.2
慢性骨髄増殖性疾患	D471	4	3	7	0.0	0.0	0.0	0.6	0.4	0.5	0.3	0.1	0.2	0.2	0.1	0.1	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	4	8	12	0.0	0.1	0.1	0.6	1.1	0.9	0.3	0.5	0.4	0.2	0.4	0.3	0.0	0.0	0.0

*1 総数は男女および性別不詳の合計

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

長崎県

2016年

部位	ICD-10	死亡数		部位割合		粗死亡率		年齢調整死亡率						累積死亡率(0-74歳)				
		男	女	男	女	男	女	日本人口			世界人口			男	女			
		総数 *1	男	女	総数 *1	男	女	総数 *1	男	女	総数 *1							
全部位	000-C97 000-047	2,772	2,132	4,904	100.0	100.0	435.2	295.7	361.1	172.3	92.9	126.3	117.4	65.9	87.8	12.5	6.7	9.4
全部位	000-C97	2,708	2,051	4,759	97.7	96.2	425.1	284.5	350.4	168.8	90.9	123.6	115.1	64.6	86.0	12.3	6.6	9.3
口唇	C00	-	1	1	0.0	0.0	0.1	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0	0.0	0.0
舌根<基底>部	C01	1	-	1	0.0	0.0	0.2	-	0.1	0.1	-	0.0	0.1	-	0.0	0.0	-	0.0
その他および部位不明の舌	C02	11	9	20	0.4	0.4	1.7	1.2	1.5	0.9	0.4	0.7	0.8	0.3	0.5	0.1	0.0	0.1
歯肉	C03	5	7	12	0.2	0.3	0.2	0.8	1.0	0.9	0.3	0.3	0.2	0.2	0.2	0.0	0.0	0.0
口腔底	C04	2	1	3	0.1	0.0	0.1	0.3	0.1	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0
口蓋	C05	1	-	1	0.0	-	0.2	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0
その他および部位不明の口腔	C06	3	2	5	0.1	0.1	0.5	0.3	0.4	0.2	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
耳下腺	C07	2	2	4	0.1	0.1	0.3	0.3	0.3	0.3	0.2	0.2	0.2	0.1	0.2	0.0	0.0	0.0
その他および部位不明の大唾液腺	C08	2	1	3	0.1	0.0	0.1	0.3	0.1	0.2	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0
扁桃	C09	1	-	1	0.0	-	0.2	-	0.1	0.2	-	0.1	0.2	-	0.1	0.0	-	0.0
中咽頭	C10	13	3	16	0.5	0.1	0.3	2.0	0.4	1.2	1.0	0.1	0.5	0.7	0.1	0.4	0.1	0.0
鼻<上>咽頭	C11	1	2	3	0.0	0.1	0.1	0.2	0.3	0.2	0.2	0.2	0.1	0.1	0.1	0.0	0.0	0.0
梨状陥凹<洞>	C12	1	-	1	0.0	-	0.2	-	0.1	0.1	-	0.0	0.1	-	0.0	0.0	-	0.0
下咽頭	C13	19	1	20	0.7	0.0	0.4	3.0	0.1	1.5	1.3	0.0	0.6	0.9	0.0	0.4	0.1	0.0
その他および部位不明の口唇、口腔および咽頭	C14	4	-	4	0.1	-	0.6	-	0.3	0.4	-	0.2	0.3	-	0.1	0.0	-	0.0
食道	C15	117	26	143	4.2	1.2	2.9	18.4	3.6	10.5	8.2	1.4	4.5	5.8	1.1	3.2	0.8	0.1
胃	C16	321	192	513	11.6	9.0	10.5	50.4	26.6	37.8	19.5	8.7	13.2	13.3	6.2	9.2	1.4	0.6
小腸	C17	11	3	14	0.4	0.1	0.3	1.7	0.4	1.0	0.6	0.0	0.3	0.3	0.0	0.2	0.0	0.0
結腸	C18	203	240	443	7.3	11.3	9.0	31.9	33.3	32.6	13.0	9.3	10.9	9.0	6.7	7.7	0.9	0.6
直腸S状結腸移行部	C19	2	1	3	0.1	0.0	0.1	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.1	0.0	0.0	0.0
直腸	C20	114	74	188	4.1	3.5	3.8	17.9	10.3	13.8	8.4	3.1	5.6	6.1	2.2	4.0	0.7	0.2
肛門および肛門管	C21	3	1	4	0.1	0.0	0.1	0.5	0.1	0.3	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0
肝および肝内胆管	C22	264	158	422	9.5	7.4	8.6	41.4	21.9	31.1	16.3	5.1	10.0	10.7	3.2	6.5	1.1	0.3
胆のう	C23	39	74	113	1.4	3.5	2.3	6.1	10.3	8.3	2.4	2.3	2.4	1.6	1.5	1.6	0.2	0.2
その他および部位不明の胆道	C24	84	73	157	3.0	3.4	3.2	13.2	10.1	11.6	4.5	2.1	3.1	2.9	1.4	2.0	0.2	0.1
膵臓	C25	195	205	400	7.0	9.6	8.2	30.6	28.4	29.5	12.4	8.5	10.2	8.4	5.7	6.9	1.0	0.7
その他および部位不明の消化器	C26	6	4	10	0.2	0.2	0.2	0.9	0.6	0.7	0.5	0.2	0.3	0.3	0.2	0.2	0.0	0.0
鼻腔および中耳	C30	3	1	4	0.1	0.0	0.1	0.5	0.1	0.3	0.2	0.1	0.1	0.1	0.0	0.1	0.0	0.0
副鼻腔	C31	4	1	5	0.1	0.0	0.1	0.6	0.1	0.4	0.2	0.0	0.1	0.1	0.0	0.1	0.0	0.0
喉頭	C32	7	2	9	0.3	0.1	0.2	1.1	0.3	0.7	0.4	0.2	0.2	0.2	0.1	0.1	0.0	0.0
気管	C33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	C34	648	301	949	23.4	14.1	19.4	101.7	41.7	69.9	38.8	10.9	22.8	26.2	7.4	15.5	2.9	0.7
胸腺	C37	1	2	3	0.0	0.1	0.1	0.2	0.3	0.2	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0
心臓、縦隔および胸膜	C38	2	2	4	0.1	0.0	-	0.3	0.1	-	-	0.1	0.1	-	0.0	0.0	-	0.0
その他および部位不明の呼吸器および胸腔内臓器	C39	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
(四) 肢の骨および関節軟骨	C40	3	1	4	0.1	0.0	0.1	0.5	0.1	0.3	0.3	0.1	0.2	0.2	0.0	0.1	0.0	0.0
その他および部位不明の骨および関節軟骨	C41	3	1	4	0.1	0.0	0.1	0.5	0.1	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0
皮膚の悪性黒色腫	C43	3	4	7	0.1	0.2	0.1	0.5	0.6	0.5	0.1	0.3	0.2	0.1	0.2	0.1	0.0	0.0
皮膚のその他	C44	4	8	12	0.1	0.4	0.2	0.6	1.1	0.9	0.3	0.2	0.2	0.2	0.2	0.0	0.0	0.0
中皮腫	C45	22	2	24	0.8	0.1	0.5	3.5	1.3	1.8	1.4	0.1	0.7	0.9	0.1	0.5	0.1	0.0
カボジ肉腫	C46	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
末梢神経および自律神経系の悪性新生物	C47	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
後腹膜および腹膜	C48	1	6	7	0.0	0.3	0.1	0.2	0.8	0.5	0.0	0.4	0.2	0.0	0.3	0.1	0.0	0.0
その他の結合組織および関節組織	C49	8	6	14	0.3	0.3	0.3	1.3	0.8	1.0	1.0	0.9	0.9	0.8	0.8	0.1	0.1	0.1
乳房	C50	176	176	352	8.3	3.6	-	24.4	13.0	-	12.8	6.8	-	9.7	5.1	-	1.1	0.6
外陰	C51	-	6	6	-	0.3	0.1	-	0.8	-	-	0.2	-	0.2	-	-	0.0	-
陰	C52	-	1	1	-	0.0	0.0	-	0.1	-	-	0.0	-	0.0	-	-	0.0	-
子宮頸部	C53	-	38	38	-	1.8	0.8	-	5.3	-	-	3.4	-	2.7	-	-	0.3	-
子宮体部	C54	-	22	22	-	1.0	0.4	-	3.1	-	-	1.3	-	0.9	-	-	0.1	-
子宮部位不明	C55	-	20	20	-	0.9	0.4	-	2.8	-	-	0.9	-	0.7	-	-	0.1	-
卵巣	C56	-	53	53	-	2.5	1.1	-	7.4	-	-	3.9	-	2.9	-	-	0.3	-
その他および部位不明の女性性器	C57	-	2	2	-	0.1	0.0	-	0.3	-	-	0.1	-	0.1	-	-	0.0	-
胎盤	C58	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
陰茎	C60	1	-	1	0.0	-	0.0	0.2	-	-	0.0	-	-	0.0	-	-	0.0	-
前立腺	C61	135	-	135	4.9	-	2.8	21.2	-	-	6.8	-	-	4.2	-	-	0.3	-
精巣	C62	1	-	1	0.0	-	0.0	0.2	-	-	0.2	-	-	0.1	-	-	0.0	-
その他および部位不明の男性性器	C63	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
腎盂を除く腎	C64	33	17	50	1.2	0.8	1.0	5.2	2.4	3.7	2.2	0.9	1.5	1.5	0.7	1.0	0.2	0.1
腎盂	C65	15	6	21	0.5	0.3	0.4	2.4	0.8	1.5	1.0	0.1	0.5	0.7	0.1	0.3	0.1	0.0
尿管	C66	16	4	20	0.6	0.2	0.4	2.5	0.6	1.5	0.8	0.1	0.4	0.5	0.1	0.3	0.1	0.0
膀胱	C67	72	43	115	2.6	2.0	2.3	11.3	6.0	8.5	3.5	1.5	2.3	2.3	1.0	1.5	0.2	0.1
その他および部位不明の泌尿器	C68	3	1	4	0.1	0.0	0.1	0.5	0.1	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0
眼および付属器	C69	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
髄膜	C70	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳	C71	19	12	31	0.7	0.6	0.6	3.0	1.7	2.3	2.0	1.0	1.5	1.8	1.0	1.4	0.2	0.1
脊髄、脳神経および中枢神経系のその他部位	C72	-	1	1	-	0.0	0.0	-	0.1	0.1	-	0.0	0.0	-	0.0	0.0	-	0.0
甲状腺	C73	10	15	25	0.4	0.7	0.5	1.6	2.1	1.8	0.6	0.5	0.5	0.4	0.3	0.3	0.0	0.0
副腎	C74	2	-	2	0.1	-	0.0	0.3	-	0.1	0.2	-	0.1	0.2	-	0.1	0.0	-
その他の内分泌腺および関連組織	C75	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および不明な部位	C76	1	3	4	0.0	0.1	0.1	0.2	0.4	0.3	0.0	0.3	0.1	0.0	0.3	0.2	0.0	0.0
リンパ節の続発性および部位不明	C77	-	1	1	-	0												

付表2. 死亡数、部位割合(%)、粗死亡率(人口10万対)、年齢調整死亡率(人口10万対)、累積死亡率(%): 詳細部位別、性別

長崎県

2016年

部位	ICD-10	死亡数			部位割合			粗死亡率			年齢調整死亡率						累積死亡率(0-74歳)		
		男	女	総数 *1	男	女	総数 *1	男	女	総数 *1	日本人口			世界人口			男	女	総数 *1
											男	女	総数 *1	男	女	総数 *1			
上皮内がん	000-009	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
口腔、食道および胃	000	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
食道	0001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の消化器	001	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
結腸	0010	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸S状結腸移行部	0011	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
直腸	0012	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
中耳および呼吸器系	002	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管	0021	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
気管支および肺	0022	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
上皮内黒色腫	003	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
皮膚のその他	004	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
乳房	005	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
子宮頸部	006	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明の性器	007	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
その他および部位不明	009	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
膀胱	0090	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
良性腫瘍	D32-D35	2	2	4	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
髄膜	D32	2	2	4	0.1	0.1	0.1	0.3	0.3	0.3	0.1	0.0	0.1	0.1	0.0	0.0	0.0	0.0	0.0
脳および中枢神経系	D33	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
下垂体	D352	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D353	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D354	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
性状不詳	D42-D47	35	45	80	1.3	2.1	1.6	5.5	6.2	5.9	2.1	1.2	1.6	1.4	0.8	1.1	0.1	0.1	0.1
髄膜	D42	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
脳および中枢神経系	D43	6	10	16	0.2	0.5	0.3	0.9	1.4	1.2	0.5	0.3	0.4	0.4	0.2	0.3	0.1	0.0	0.0
下垂体	D443	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
頭蓋咽頭管	D444	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
松果体	D445	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-	-
真正赤血球増加症	D45	1	-	1	0.0	-	0.0	0.2	-	0.1	0.0	-	0.0	0.0	-	0.0	0.0	-	0.0
骨髄異形成症候群	D46	27	29	56	1.0	1.4	1.1	4.2	4.0	4.1	1.4	0.7	1.0	1.0	0.4	0.7	0.1	0.0	0.0
慢性骨髄増殖性疾患	D471	1	3	4	0.0	0.1	0.1	0.2	0.4	0.3	0.1	0.2	0.1	0.1	0.1	0.1	0.0	0.0	0.0
本態性(出血性)血小板血症	D473	-	2	2	-	0.1	0.0	-	0.3	0.1	-	0.1	0.1	-	0.1	0.0	-	0.0	0.0

*1 総数は男女および性別不詳の合計