

3 年次別にみた全国の死因順位（人口10万対）

	第1位		第2位		第3位		第4位		第5位	
	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率
昭28	脳血管疾患	133.7	悪性新生物	82.2	老 衰	77.6	肺. 気管支炎	71.3	全 結 核	66.5
29	"	132.4	"	85.3	"	69.5	全 結 核	62.4	心 疾 患	60.2
30	"	136.1	"	87.1	"	67.1	心 疾 患	60.9	全 結 核	52.3
31	"	148.4	"	90.7	"	75.8	"	66.0	"	48.6
32	"	151.7	"	91.3	"	80.5	"	73.1	肺. 気管支炎	59.2
33	"	148.6	"	95.5	心 疾 患	64.8	老 衰	55.5	"	47.6
34	"	153.7	"	98.2	"	67.7	"	56.7	"	45.2
35	"	160.7	"	100.4	"	73.2	"	56.0	"	49.3
36	"	165.4	"	102.3	"	72.1	"	58.2	不慮の事故	44.1
37	"	169.4	"	103.2	"	76.2	"	57.5	肺. 気管支炎	45.0
38	"	171.4	"	105.5	"	70.4	"	50.4	不慮の事故	41.3
39	"	171.7	"	107.3	"	70.3	"	48.4	"	41.6
40	"	175.8	"	108.4	"	77.0	"	50.0	"	40.9
41	"	173.8	"	110.9	"	71.9	"	44.6	"	43.0
42	"	173.1	"	113.0	"	75.7	"	43.3	"	41.9
43	"	173.5	"	114.6	"	80.2	不慮の事故	40.2	老 衰	30.4
44	"	174.4	"	116.4	"	81.7	"	42.2	"	37.1
45	"	175.8	"	116.3	"	86.7	"	42.5	"	38.1
46	"	169.6	"	117.7	"	82.0	"	40.7	"	34.0
47	"	166.7	"	120.4	"	81.2	"	40.1	"	30.8
48	"	166.9	"	121.2	"	87.3	"	37.2	肺. 気管支炎	31.3
49	"	163.0	"	122.2	"	89.8	"	33.0	"	32.6
50	"	156.7	"	122.6	"	89.2	肺. 気管支炎	33.7	不慮の事故	30.3
51	"	154.5	"	125.3	"	92.2	"	32.6	"	28.0
52	"	149.8	"	128.4	"	91.2	"	28.6	"	26.7
53	"	146.2	"	131.3	"	93.3	"	30.3	"	26.2
54	"	137.7	"	135.7	"	96.9	"	28.5	老 衰	25.5
55	"	139.7	"	139.2	"	106.3	"	33.8	"	27.7
56	悪性新生物	142.0	脳血管疾患	134.3	"	107.5	"	33.7	"	25.5
57	"	144.2	"	125.0	"	106.7	"	35.0	不慮の事故	24.7
58	"	148.3	"	122.8	"	111.3	"	39.3	"	25.0
59	"	152.5	"	117.2	"	113.9	"	37.6	"	24.6
60	"	155.1	心 疾 患	116.6	脳血管疾患	111.5	"	42.4	"	24.5
61	"	158.5	"	117.9	"	106.9	"	43.9	"	23.7
62	"	164.2	"	118.4	"	101.7	"	44.9	"	23.2
63	"	168.4	"	129.4	"	105.5	"	51.6	"	24.8
平元	"	173.6	"	128.1	"	98.5	"	52.7	"	25.4
2	"	177.2	"	134.8	"	99.4	"	60.7	"	26.2
3	"	181.7	"	137.2	"	96.2	"	62.0	"	26.9
4	"	187.7	"	142.0	"	95.5	"	65.0	"	27.9
5	"	190.4	"	145.6	"	96.0	"	70.6	"	28.0
6	"	196.4	"	128.6	"	96.9	"	72.4	"	29.1
7	"	211.6	脳血管疾患	117.9	心疾患(高血圧性を除く)	112.0	肺 炎	64.1	"	36.5
8	"	217.5	"	112.6	"	110.8	"	56.9	"	31.4
9	"	220.4	心疾患(高血圧性を除く)	112.2	脳血管疾患	111.0	"	63.1	"	31.1
10	"	226.7	"	114.3	"	110.0	"	63.8	"	31.1
11	"	231.6	"	120.4	"	110.8	"	74.9	"	32.0
12	"	235.2	"	116.8	"	105.5	"	69.2	"	31.4
13	"	238.8	"	117.8	"	104.7	"	67.8	"	31.4
14	"	241.7	"	121.0	"	103.4	"	69.4	"	30.7
15	"	245.4	"	126.5	"	104.7	"	75.3	"	30.7
16	"	253.9	"	126.5	"	102.3	"	75.7	"	30.3
17	"	258.3	"	137.2	"	105.3	"	85.0	"	31.6
18	"	261.0	"	137.2	"	101.7	"	85.0	"	30.3
19	"	266.9	"	139.2	"	100.8	"	87.4	"	30.1
20	"	272.3	"	144.4	"	100.9	"	91.6	"	30.3
21	"	273.5	"	143.7	"	97.2	"	89.0	不慮の事故	30.7
22	"	279.7	"	149.8	"	97.7	"	94.1	"	35.9
23	"	283.2	"	154.5	肺 炎	98.9	脳血管疾患	98.2	不慮の事故	47.1
24	"	286.6	"	157.9	"	98.4	"	96.5	老 衰	48.2
25	"	290.3	"	156.5	"	97.8	"	94.1	"	55.5
26	"	293.5	"	157.0	"	95.4	"	91.1	"	60.1
27	"	295.5	"	156.5	"	96.5	"	89.4	"	67.7
28	"	298.3	"	158.4	"	95.4	"	87.4	"	74.2
29	悪性新生物<腫瘍>	299.5	"	164.3	脳血管疾患	88.2	老 衰	81.3	肺 炎	77.7
30	"	300.7	"	167.6	老 衰	88.2	脳血管疾患	87.1	"	76.2
令元	"	304.2	"	167.9	"	98.5	"	86.1	"	77.2

注：死因順位に用いる死因分類は、「死因順位及び乳児死因順位に用いる分類項目（平成30年）」を参照されたい。

1994年（平成6年）までの「老衰」は、「精神病の記載のない老衰」である。1995年（平成7年）以降の「心疾患」は、「心疾患（高血圧性を除く）」である。

2017年（平成29年）以降の「血管性等の認知症」は、「血管性及び詳細不明の認知症」である。

	第6位		第7位		第8位		第9位		第10位	
	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率
昭28	心 疾 患	64.9	胃 腸 炎	46.1	新生児固有疾患	42.1	不慮の事故	39.3	腎.ネフローゼ [*]	23.2
29	肺.気管支炎	54.7	不慮の事故	39.4	胃 腸 炎	39.0	新生児固有疾患	36.2	自 殺	23.4
30	〃	48.3	〃	37.3	〃	31.7	〃	31.4	〃	25.2
31	〃	48.4	〃	36.8	新生児固有疾患	30.5	胃 腸 炎	30.0	〃	24.5
32	全 結 核	46.9	〃	37.9	〃	26.4	〃	25.7	〃	24.3
33	〃	39.4	〃	38.9	自 殺	25.7	〃	25.1	新生児固有疾患	23.4
34	不慮の事故	44.8	全 結 核	35.5	胃 腸 炎	23.3	自 殺	22.7	〃	21.0
35	〃	41.7	〃	34.2	自 殺	21.6	胃 腸 炎	21.2	〃	18.5
36	肺.気管支炎	41.6	〃	29.6	〃	19.6	〃	19.5	〃	17.4
37	不慮の事故	40.3	〃	29.3	高血圧性疾患	18.4	〃	18.0	自 殺	17.6
38	肺.気管支炎	33.2	〃	24.2	〃	18.2	自 殺	16.1	胃 腸 炎	16.1
39	〃	32.1	〃	23.6	〃	18.7	〃	15.1	〃	14.6
40	〃	37.3	〃	22.8	〃	19.3	〃	14.7	〃	12.9
41	〃	28.2	〃	20.3	〃	18.6	〃	15.2	〃	11.3
42	〃	28.7	高血圧性疾患	18.3	全 結 核	17.8	〃	14.2	新生児固有疾患	11.4
43	〃	31.8	〃	17.9	〃	16.8	〃	14.5	肝 硬 変	11.2
44	〃	31.6	〃	17.0	〃	16.1	〃	14.5	〃	11.8
45	〃	34.1	〃	17.7	〃	15.4	〃	15.3	〃	12.5
46	〃	28.4	〃	16.7	自 殺	15.6	全 結 核	13.0	〃	12.5
47	〃	28.1	自 殺	17.0	高血圧性疾患	16.5	肝 硬 変	12.8	全 結 核	11.9
48	老 衰	30.9	高血圧性疾患	17.5	自 殺	17.5	〃	13.2	〃	11.1
49	〃	29.7	〃	18.4	〃	17.5	〃	13.4	〃	10.4
50	〃	26.9	自 殺	18.0	高血圧性疾患	17.8	〃	13.6	〃	9.5
51	〃	26.4	〃	17.6	〃	17.6	〃	13.8	〃	8.5
52	〃	25.0	〃	17.9	〃	17.0	〃	13.6	糖 尿 病	8.4
53	〃	24.4	〃	17.6	〃	16.4	〃	14.0	〃	8.5
54	不慮の事故	25.3	〃	18.0	肝 硬 変	14.2	高血圧性疾患	14.0	腎.ネフローゼ [*]	8.0
55	〃	25.1	〃	17.7	〃	14.2	〃	13.7	〃	8.8
56	〃	24.8	〃	17.1	〃	14.2	〃	13.0	〃	9.1
57	老 衰	23.3	〃	17.5	〃	14.0	〃	11.7	〃	9.7
58	〃	24.7	〃	21.0	〃	14.1	〃	11.3	〃	10.3
59	〃	24.1	〃	20.4	〃	14.2	〃	10.9	〃	10.6
60	〃	23.0	〃	19.3	〃	14.2	腎.ネフローゼ [*]	11.2	高血圧性疾患	10.5
61	〃	22.2	〃	21.2	〃	14.0	〃	11.6	〃	9.7
62	〃	20.8	〃	19.6	〃	13.7	〃	11.8	〃	8.8
63	〃	21.6	〃	18.7	〃	13.9	〃	13.0	〃	8.4
平元	〃	19.4	〃	17.3	〃	13.6	〃	13.4	〃	7.6
2	〃	19.7	〃	16.4	腎.ネフローゼ [*]	14.0	肝 硬 変	13.7	糖 尿 病	7.7
3	〃	18.8	〃	16.1	〃	13.8	〃	13.7	〃	7.8
4	〃	18.9	〃	16.7	〃	14.8	〃	13.8	〃	7.9
5	〃	18.7	〃	16.6	〃	14.9	〃	13.6	〃	8.3
6	〃	18.9	〃	16.9	〃	15.1	〃	13.3	〃	8.8
7	〃	17.3	〃	17.2	肝 疾 患	13.7	腎 不 全	13.0	〃	11.4
8	自 殺	17.8	老 衰	16.7	〃	13.2	〃	13.0	〃	10.3
9	〃	18.8	〃	17.2	腎 不 全	13.3	肝 疾 患	13.2	〃	9.9
10	〃	25.4	〃	17.1	〃	13.3	〃	12.9	〃	10.0
11	〃	25.0	〃	18.2	〃	14.1	〃	13.2	慢性閉塞性肺疾患	10.4
12	〃	24.1	〃	16.9	〃	13.7	〃	12.8	〃	10.2
13	〃	23.3	〃	17.6	〃	14.0	〃	12.6	〃	10.4
14	〃	23.8	〃	18.0	〃	14.4	〃	12.3	〃	10.3
15	〃	25.5	〃	18.6	〃	14.9	〃	12.5	〃	10.8
16	〃	24.0	〃	19.1	〃	15.2	〃	12.6	〃	10.7
17	〃	24.2	〃	20.9	〃	16.3	〃	13.0	〃	11.4
18	〃	23.7	〃	22.0	〃	16.8	〃	12.9	〃	11.4
19	〃	24.4	〃	24.4	〃	17.2	〃	12.8	〃	11.8
20	老 衰	28.6	自 殺	24.0	〃	17.9	〃	12.9	〃	12.3
21	不慮の事故	30.0	〃	24.4	〃	18.1	〃	12.7	〃	12.2
22	〃	32.2	〃	23.4	〃	18.8	慢性閉塞性肺疾患	12.9	肝 疾 患	12.8
23	老 衰	41.4	〃	22.9	〃	19.4	〃	13.2	〃	13.0
24	不慮の事故	32.6	〃	21.0	腎 不 全	19.9	〃	13.0	〃	12.7
25	〃	31.5	〃	20.7	〃	20.0	〃	13.1	大動脈瘤及び解離	12.8
26	〃	31.1	腎 不 全	19.8	自 殺	19.5	大動脈瘤及び解離	13.1	慢性閉塞性肺疾患	12.9
27	〃	30.6	〃	19.6	〃	18.5	〃	13.5	〃	12.6
28	〃	30.6	〃	19.7	〃	16.8	〃	14.5	肝 疾 患	12.6
29	〃	32.4	誤嚥性肺炎	28.7	腎 不 全	20.2	自 殺	16.4	血管性等の認知症	15.7
30	〃	33.2	〃	31	〃	21	血管性等の認知症	16.5	自殺	16.1
令元	誤嚥性肺炎	32.6	不慮の事故	31.7	〃	21.5	〃	17.3	アルツハイマー病	16.8

4 年次別にみた長崎県の死因順位（人口10万対）

	第1位		第2位		第3位		第4位		第5位	
	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率
昭28	脳血管疾患	111.1	老 衰	91.9	肺.気管支炎	89.2	全 結 核	84.7	悪性新生物	76.2
29	"	106.0	"	88.9	全 結 核	88.3	悪性新生物	76.0	肺.気管支炎	71.0
30	"	112.8	"	78.2	悪性新生物	75.4	全 結 核	71.9	心 疾 患	56.7
31	"	122.7	"	92.3	"	82.0	"	70.5	肺.気管支炎	65.5
32	"	124.3	"	94.4	"	82.9	不慮の事故	78.7	"	76.0
33	"	126.9	悪性新生物	83.5	老 衰	66.4	心 疾 患	64.2	全 結 核	59.5
34	"	131.9	"	87.8	心 疾 患	68.8	老 衰	65.6	肺.気管支炎	53.2
35	"	143.2	"	93.4	"	70.8	"	66.7	"	62.9
36	"	151.6	"	100.1	"	69.7	"	65.3	"	54.3
37	"	159.8	"	102.8	"	78.2	"	72.5	"	61.5
38	"	169.2	"	108.3	"	76.6	"	64.9	"	47.1
39	"	182.7	"	106.2	"	69.0	"	57.0	"	42.2
40	"	185.6	"	113.6	"	73.7	"	62.2	"	48.7
41	"	185.6	"	123.1	"	77.3	"	60.9	不慮の事故	38.2
42	"	192.7	"	123.3	"	79.8	"	62.0	"	45.5
43	"	193.1	"	124.5	"	89.4	"	51.9	肺.気管支炎	45.2
44	"	194.9	"	127.9	"	94.2	"	49.3	不慮の事故	42.2
45	"	200.9	"	135.1	"	103.7	"	46.4	肺.気管支炎	44.5
46	"	183.5	"	133.2	"	93.4	"	38.0	不慮の事故	37.7
47	"	191.4	"	142.7	"	92.3	不慮の事故	43.0	肺.気管支炎	38.4
48	"	187.9	"	146.6	"	97.1	肺.気管支炎	38.7	不慮の事故	38.6
49	"	184.5	"	145.3	"	100.8	"	45.9	"	36.2
50	"	178.9	"	147.8	"	99.8	"	43.0	高血圧性疾患	34.0
51	"	177.5	"	146.1	"	109.4	"	44.9	"	36.8
52	"	166.3	"	151.6	"	109.9	"	38.9	"	34.8
53	"	162.3	"	152.3	"	108.8	"	41.0	"	31.7
54	悪性新生物	168.4	脳血管疾患	155.5	"	120.1	"	40.1	"	31.0
55	"	165.2	"	159.3	"	124.6	"	49.4	"	27.5
56	"	179.1	"	151	"	137.0	"	46.4	不慮の事故	28.4
57	"	181.7	"	142.4	"	129.3	"	48.1	"	44.6
58	"	186.1	"	135.6	"	129.5	"	48.7	"	30.3
59	"	191.3	心 疾 患	134.7	脳血管疾患	128.3	"	50.3	高血圧性疾患	24.6
60	"	200.8	"	132.8	"	127.5	"	60.2	不慮の事故	26.0
61	"	196.7	"	135.1	"	116.4	"	57.3	"	24.4
62	"	206.0	"	130.9	"	109.3	"	59.2	"	22.4
63	"	206.6	"	142.2	"	114.5	"	67.8	"	23.9
平元	"	218.3	"	151.2	"	107.8	"	72.4	"	24.7
2	"	225.1	"	152.5	"	110.4	"	79.9	"	27.7
3	"	223.7	"	158.8	"	108.7	"	88.1	"	31.7
4	"	239.0	"	158.1	"	100.2	"	86.6	"	29.5
5	"	229.4	"	165.2	"	112.8	"	103.6	"	31.1
6	"	239.2	"	147.6	"	109.1	"	91.6	"	32.0
7	"	261.4	心疾患(高血圧性を除く)	128.2	"	126.3	肺 炎	89.6	"	32.9
8	"	264.9	"	124.5	"	117.5	"	72.7	"	33.1
9	"	263.3	"	123.6	"	117.6	"	80.0	"	31.2
10	"	266.1	"	127.3	"	122.7	"	81.7	"	33.6
11	"	274.1	"	141.4	"	119.1	"	89.0	"	33.0
12	"	279.1	"	129.8	"	122.3	"	86.3	"	34.2
13	"	284.0	"	128.2	"	117.2	"	83.8	"	33.1
14	"	283.9	"	139.5	"	119.3	"	92.3	"	32.4
15	"	290.9	"	146	"	114.6	"	97.4	"	32.8
16	"	303.3	"	143.5	"	119.7	"	94.7	"	31.0
17	"	314.1	"	163.2	"	116.4	"	109.6	"	34.5
18	"	305.1	"	161.1	"	119.4	"	111.2	"	34.7
19	"	318.7	"	164.7	肺 炎	121.8	脳血管疾患	118.3	"	32.8
20	"	331.0	"	167.9	"	123.5	"	118.0	"	36.1
21	"	328.1	"	168.6	"	120.5	"	111.0	"	41.0
22	"	331.4	"	181	"	126.7	"	110.3	老 衰	40.7
23	"	337.6	"	187.6	"	141.5	"	106.2	"	43.5
24	"	337.0	"	183.3	"	132.5	"	108.8	"	52.4
25	"	354.1	"	192.9	"	128.3	"	106.3	"	60.5
26	"	357.1	"	185.7	"	131.1	"	99.9	"	62.5
27	"	351.1	"	189.8	"	122.5	"	98.7	"	69.2
28	"	350.4	"	189.2	"	122.9	"	99.4	"	73.5
29	悪性新生物<腫瘍>	350.2	"	200.9	"	112.8	"	99.0	"	74.4
30	"	370.6	"	209.2	"	102.2	"	93.1	"	86.6
令元	"	361.9	"	202.0	"	100.8	"	98.0	"	94.3

注：死因順位に用いる死因分類は、「死因順位及び乳児死因順位に用いる分類項目（平成30年）」を参照されたい。

1994年（平成6年）までの「老衰」は、「精神病の記載のない老衰」である。1995年（平成7年）以降の「心疾患」は、「心疾患（高血圧性を除く）」である。

2017年（平成29年）以降の「血管性等の認知症」は、「血管性及び詳細不明の認知症」である。

4 年次別にみた長崎県の死因順位（人口10万対）

	第6位		第7位		第8位		第9位		第10位	
	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率	死 因	死亡率
昭28	心 疾 患	60.5	胃 腸 炎	50.0	他新生児疾患	48.2	不慮の事故	44.8	腎炎,ネフローゼ*	24.4
29	"	58.4	他新生児疾患	42.6	胃 腸 炎	40.7	"	39.7	"	24.0
30	肺,気管支炎	55.5	不慮の事故	45.8	他新生児疾患	35.2	胃 腸 炎	34.3	"	22.6
31	心 疾 患	59.5	"	48.4	"	35.6	"	34.1	自 殺	21.8
32	全 結 核	67.4	心 疾 患	66.8	"	32.2	"	28.7	腎炎,ネフローゼ*	23.7
33	肺,気管支炎	58.3	不慮の事故	41.4	胃 腸 炎	31.8	他新生児疾患	30.2	"	22.5
34	全 結 核	49.2	"	44.6	他新生児疾患	27.5	胃 腸 炎	24.9	"	21.3
35	"	49.4	"	41.4	胃 腸 炎	26.8	他新生児疾患	26.4	"	19.2
36	不慮の事故	43.2	全 結 核	42.0	他新生児疾患	23.8	胃 腸 炎	21.0	高 血 圧 症	18.4
37	全 結 核	43.2	不慮の事故	41.6	胃 腸 炎	23.4	高 血 圧 症	21.9	他新生児疾患	21.6
38	不慮の事故	42.8	全 結 核	36.5	高 血 圧 症	23.5	胃 腸 炎	22.7	"	22.0
39	"	40.8	"	33.2	"	25.2	"	21.4	"	17.0
40	"	40.3	"	35.7	"	25.8	"	17.3	腎炎,ネフローゼ*	17.0
41	肺,気管支炎	35.5	"	29.5	"	24.8	肝 硬 変	15.6	自 殺	14.6
42	"	36.5	高血圧性疾患	27.1	全 結 核	24.9	他新生児疾患	17.0	肝 硬 変	16.6
43	不慮の事故	39.4	全 結 核	27.8	高血圧性疾患	27.4	肝 硬 変	19.8	胃 腸 炎	13.9
44	肺,気管支炎	36.4	高血圧性疾患	25.3	全 結 核	21.7	"	18.7	自 殺	13.9
45	不慮の事故	42.5	"	31.5	"	22.9	"	20.2	"	15.6
46	肺,気管支炎	35.7	"	29.0	"	19.3	"	17.7	"	15.4
47	老 衰	34.3	"	29.3	肝 硬 変	19.7	全 結 核	18.4	"	16.0
48	高血圧性疾患	33.5	老 衰	32.7	"	19.6	"	17.4	"	17.0
49	"	35.7	"	31.0	"	21.2	自 殺	18.4	全 結 核	16.7
50	不慮の事故	30.7	"	27.6	"	18.9	"	17.6	"	14.8
51	"	30.6	"	28.1	"	18.6	"	17.0	"	11.8
52	"	34.3	"	27.1	自 殺	20.4	肝 硬 変	18.5	"	11.2
53	"	30.2	"	24.0	肝 硬 変	19.2	自 殺	17.6	"	10.2
54	"	29.2	"	22.5	"	19.8	"	17.8	腎炎,ネフローゼ*	10.5
55	"	26.5	"	25.9	自 殺	18.4	肝 硬 変	16.8	"	12.3
56	高血圧性疾患	27.5	"	24.7	肝 硬 変	19.6	自 殺	17.1	"	10.9
57	"	25.0	"	20.6	"	18.6	"	16.6	"	11.5
58	"	22.5	自 殺	19.5	老 衰	18.1	肝 硬 変	15.3	"	14.4
59	不慮の事故	22.9	"	20.3	"	18.6	腎炎,ネフローゼ*	16.7	肝 硬 変	16.6
60	高血圧性疾患	21.6	"	21.6	"	16.9	肝 硬 変	16.6	腎炎,ネフローゼ*	15.4
61	自 殺	22.4	高血圧性疾患	19.9	肝 硬 変	16.9	腎炎,ネフローゼ*	16.6	老 衰	16.1
62	"	19.7	"	17.0	"	16.0	"	15.8	"	14.5
63	"	20.9	"	17.9	腎炎,ネフローゼ*	17.2	肝 硬 変	15.9	"	11.8
平元	腎炎,ネフローゼ*	18.6	自 殺	17.6	肝 硬 変	16.5	高血圧性疾患	16.3	"	13.6
2	"	19.8	"	17.1	"	16.1	"	16.1	"	14.1
3	"	18.4	"	17.7	高血圧性疾患	17.1	肝 硬 変	15.0	"	10.8
4	"	20.6	"	16.6	肝 硬 変	16.0	高血圧性疾患	14.8	"	14.0
5	"	20.9	"	17.0	肝 硬 変	17.0	老 衰	15.1	高血圧性疾患	14.1
6	"	18.3	老 衰	16.0	"	15.9	自 殺	14.7	"	12.3
7	腎 不 全	19.9	自 殺	16.8	"	15.9	老 衰	13.4	糖 尿 病	10.8
8	自 殺	17.9	腎 不 全	16.7	老 衰	15.1	肝 疾 患	14.8	高血圧性疾患	9.4
9	"	18.5	"	18.5	肝 疾 患	14.2	老 衰	13.4	"	11.0
10	"	24.8	"	16.8	慢性閉塞性肺疾患	15.1	"	13.9	肝 疾 患	13.2
11	"	24.2	"	16.8	老 衰	16.6	慢性閉塞性肺疾患	15.4	"	13.6
12	"	24.6	老 衰	17.5	腎 不 全	16.4	"	15.1	"	13.3
13	"	22.6	腎 不 全	16.5	老 衰	15.6	"	13.2	"	12.2
14	"	24.5	"	16.8	"	16.0	肝 疾 患	14.5	慢性閉塞性肺疾患	14.1
15	"	30.0	"	20.3	"	16.4	大動脈瘤及び解離	15.7	肝 疾 患	13.6
16	"	25.7	"	17.3	"	15.9	"	12.3	"	12.0
17	"	29.3	"	19.8	"	16.1	"	12.7	"	12.3
18	"	27.0	老 衰	20.9	腎 不 全	20.9	"	15.9	"	13.6
19	"	25.3	"	20.4	"	20.2	"	15.4	大動脈瘤及び解離	14.9
20	老 衰	26.9	自 殺	25.9	"	21.5	"	15.4	"	15.2
21	"	32.4	自 殺・腎不全	23.1	—	—	"	17.3	"	16.2
22	不慮の事故	37.6	"	25.9	腎 不 全	23.7	"	15.4	慢性閉塞性肺疾患	15.1
23	"	36.3	腎 不 全	24.2	自 殺	22.7	"	15.6	"	15.5
24	"	43.2	"	27.6	慢性閉塞性肺疾患	18.5	自 殺	17.7	大動脈瘤及び解離	15.1
25	"	42.2	"	23.7	自 殺	20.1	大動脈瘤及び解離	16.5	慢性閉塞性肺疾患	16.2
26	"	41.1	"	25.6	"	19.4	慢性閉塞性肺疾患	18.9	大動脈瘤及び解離	18.3
27	"	39.4	"	26.1	"	16.9	"	16.4	"	14.8
28	"	40.1	"	25.8	大動脈瘤及び解離	18.9	自 殺	14.9	肝 疾 患	13.4
29	"	44.1	誤嚥性肺炎	41.8	腎 不 全	29.7	大動脈瘤及び解離	19.6	血管性等の認知症	18.5
30	誤嚥性肺炎	43.3	不慮の事故	41.7	"	27.4	間質性肺疾患	19.7	大動脈瘤及び解離	18.6
令元	"	47.4	"	37.3	"	27.5	アルツハイマー病	21.5	"	20.6